

1		1
1.1		4
1.2		5
1.3		5
1.4		5
2		7
2.1		7
2.1.1		7
2.1.2		7
2.1.3		7
2.1.4	! " #	8
2.2	\$ % & '	9
2.2.1	() *	9
2.2.2	\$ % + , -	9
2.2.3	\$ % & '	10
2.3	/ 0	12
2.3.1	1 2 3 4	12
2.3.2	5 6 7 8	36
2.3.3	9 : \$ %	47
3	; < = > ?	62
3.1	@ A B	62
3.1.1	C B	62
3.1.2	D E B F G	64
3.1.3	H I J B K L M I	65

3.1.4 A N O P Q B	69
3.2 R S	70
3.2.1 Database K Schema T U	70
3.2.2 G T U	71
3.2.3 V W X Y Z N	74
3.2.4 H [T U	75
3.2.5 \] T U	75
3.2.6 ^ _ K ` G T U	76
3.2.7 SQL a b	76
3.3 Q) *	79
4 c d e > ?	81
4.1 9 : c d	81
4 f 9 : g ,	81
h i 9 :	81
j k 9 :	82
l m n P	84
4.2 m o p q	87
r m s M(t u v m o w x)	87
gs_dump y z m o K p q { s ! } ~	88
gs_bac"up m o p q 9 : • €	89
gs_basebac"up • d m o	91
gs_p#\$bac"up , f m o K p q	92
4.3 „ ... † „ ‡	105
c\$p% „ ... „ ‡	105
5 s ^ % Š ‹ Œ	107
5.1 gs !	107

5.1.1		107
5.1.2 • Ž		107
5.1.3 • > „		109
5.1.4 (• ‘ ’ “ d		111
5.2 gs_dump		113
5.2.1 ” • €		113
5.2.2 • –		115
5.3 gs_\$m		115
5.3.1 ” • €		115
5.3.2 — ~ ™ !		115
5.3.3 • –		116
5.4 gs_&'sta!!		117
5.4.1 ” • €		117
5.4.2 7 8 (SS)D*		117
5.5 gs_p#e&'sta!!		118
5.5.1 ” • €		118
5.5.2 • –		118

Š›

.

{ ¤\$+St\$'e)'te#p#se Database v œ • (SS)D* ~ ž Ÿ k
i \$pe' ,auss ¢ / £ l ¤ < ¥ 7 | § ¨ © v ª « ¤'te!¥ ¬ - ® ¯ ° “
d ± v ^ m • v • § v • ² ³ ¥ £ k ´ µ ¶ ® v § · @ , ¹ º »
~ ¼ • ½ ¥ ¾ ¥ ¸ ¹ º À Á Â

Ÿ Ã F X Y ¥ Ä f ´ Å , Æ Ç ¥ È É Æ Ç ® Ê v Ë Ì Í Î f 4 Ĩ Ð
Ž Ñ Â

Ò Ó Ô -. { -/a!able . \$'e ~ ³ Õ v Ö × Ø v Ù Ú Ž p q Â

ª « Û ´ ¨ Ü ¥ Ý Þ ß à ¥ á U ¥ k , â ã ® 7 ! v ~ ¼ ! &
ä å ä © 7 ! æ ç Â

Ÿ (è G é ê ë © 01D-2) ¥ D)L)2) ¥ 23045-2) K D361 ì í î p q v
ĩ ð p q ñ ò Ÿ Ã 1(23 { 1\$' t7'78me #ec\$/e#% v ì ó p q ~ © & } p
q å ê ë L M—© ì ô Â õ ° ö q & } ÷ „ ø ù ú Ö § v û ü ý þ
» Ö ÿ © G L M ñ Ò ÷ é Â(SS)D* R 2(9)5-1S0L) î
3)5:5L)*(4 © ª « v • » § î Ÿ Ã > ì ó , 4 Ĩ v => ì ó
R G , v å ê ë D)L)2) ¥ 01D-2) —© Â Ÿ Ã
3)5:5L)*(4 23045-2) ¥ î D361 © G R S v » § î G p q å
ê ë L M—v ~ • » © § Â

ª « ; D3 ¥ SQL ¥ Sess!\$' ® ¯ ° ¶ ç [v r ‘
, Â ^ m -(4D* v Ÿ Ã -(– Ë Ì £ ¥ £ ¨ ¥ £ ® Â

r SQL ª «
ª « r © SQL92<SQL99<SQL2003<SQL2011 V v ª « , *= ¥ , *18030 ¥ 02>7
8¥SQL-S5((î La8'71 H I 9 v ª « SQL r B † Û B v ª « X Y Ã
Â

ª « r ?D*5 4.0 © ¥ 6D*5 3.5 Â
X Y c d
ª « G ó v § î Ö Ò G V W å Ö Ò © X Y Â
~¼ l m 6
Á ª « -5(D ¥ 5 p q ¥ 6 Ò v 6 n P ® Â
7 | c d
ª « SSL 7 | ¥ » c d ¥ P c d ¥ 7 | á U ® v æ à
è c d ¥ ¥ K © 7 | Â

{ 1 ~ • § ´ ³ Ö \$ % Ñ ì ó @60 ms Ò Ó
316A0!326@60sC >316@10s!326@10m&'
{ 2~ ø ª « • ý ø Á v ¹ Á f >10DE 5 “
d >150 >tpm5 Û } ý ø 32 >1500 >tpm5
{ 3~ • ³ f K ³ f å >1000E v
>0.85
{ 4~ 7 | | P , Ë Ì ¥ U å X Y © | Ý
P v D & • ‘ ’

û < ¥ f ¥ î ` 6 Á “ d · l © N v Á ¥ È ¥ ¥
¥ > • > U ® v À Á ª « • ¥ v § Ö
Ò © \$ % V Z Â

>

- ¯ ° X Y Z } ª « q É ¹ Á v Æ... ~ ¼ X Y Æ Ç Â § N Â
- 409 - ´ # ª « • Â
- 1aF\$s ý ø q Ü v l m Z } v 535 ª « • § Â
- ª « | Þ , U ¥ ® 7 | v ~ ¼ | & ä å ä © 7 | æ ç Â
- ÿ Ã 2able -ccess 9 eth\$d ª « ¯ X Y Æ Ç Â

{ 1 ~ N

û < ¥ f ¥ î ` 6 Á “ d · l © N v ¥ È ¥
626 ¥ • 539 < U ® v § Ö Ò © l m \$ % Z } Â

{ 2 ~ • `

- ` s <sup>1</sup> ¨ ¥ ¨ Ü ¥ Ó ¥ K ` ® Â • ` © ž ¨ T m © ° A K f ¯ ¥ • ¥ X Y · Ý Z N ¥ R © L M K Ù û Â

¹ Á < SQL 5\$\$#d\ 'at\$# v SQL § î

± Å , UW v ú D4 ÷ Å , UW© “ d Â
· ž Ÿ Ã ý ø Gash Ù è ú v D4 è “ d ©
Ã v § D4 v (SS)D* ~ ¼ D ° st#eam { ¥
É K Ù ~ è D4 ó © k Â
D4 9 5\$\$#d\`ate , - . Â5\$\$#d\`at\$# - . © 1
Á Â

,297Llte § î è æ à Á ! ý ø © Ò ì v ~ ¼ • © Á “ d v
5 ,29 © Â õ © • Á c d > © ž ¥ ¯ ¥ • û
< Á Â ü Ù } © ,297Llte & ' ~ ¼ ! Á K ~ c d v Ě
ì ý ø v ü 0 Â

9 : ¢ G- v Ö × Ø v ¹ Á Ð Ž Ò Ó Ô -. ³ Œ v Ö × Ø v Ù Ú
Ž p q v î D 0 \$ % Â ª « ¯ 0 ý 4 Ĩ ! ý ø v ù
• © • § & ' Ÿ Ã ¯ v § î Ě Ì D5 v -. v 3eg!\$' Ž
• § ³ Œ ĸ Ù n P ª « è ³ Â

(SS)D* Ÿ Ã ! ¥ Ě ¥ v Ě ì ù ú 5 v • §
Â

OM

µ ¶ c d Z { 6pe#a8\$' 9a'age# ~ Â ~ ¼ (µ ¶ ¥ c d © c d
¥ s ^ Â

CM

c d Z { 5!uste# 9a'age# ~ Â c d K “ @ ú 5
K • d © µ , v æ ù ú © ¾ µ , Â
° » ä k

° » ä k { 5!le'tD#/e# ~ Â £ © Û ' v û Ä Å
, Â ° » ä k † (SS)D* Ë ÿ • v < © SQL % Š v
(SS)D* Ë © Å , Â

ISSEDB I m

(SS)D* I m { Data'\$de ~ Â X Y ¹ Á ¥ Å , 4 Ĩ Á î Ä ° »
ä Å , Â (SS)D* Ë I ¥ m ° A N v ª « ý I ¯ m Â I ¥
m (SS)D* Ë Ù \$ % è Ö Ò © • d Â

Storage

À Á ± © X Y v « ´ X Y Â

5 6

5 6 > © ž ý ú Ë Â

6

6 > © ž X è I m Ë v I Ë ª « b v m Ë ª « Â
ý I ¯ m

ý I ¯ m > © ž è X è ý ú I 6 v ¯ ú m 6 Â (SS)D* ¯ ª « 8 ú m 6 Â

m o

m o ž > m o ž ý ú œ 5 © m o 9 v Ö § î ~ ¼ À Á Â

m o ž > m o Ë § î R ~ ¼ À Á > Â

5 6 K 6 ° \$ % + , & ' • G 1 Â

G > 1 (SS)D* \$ % + , - . G

\$ % + ,	& ' 5 6	• § 5 6	T 5 6	¹ Á • d 6	 IR © § K § l l î t u	V 326 K 316 Ö § ¨ l Ě Ž ³ Œ v ý ‡ ì Ě v Ö § l ý Ě Ž × Ø v × Ø v – p q
l m	l 6 E m 6	Ž Ě 5 6	5 6	5 6	l ó l Ě Ž l R § • © Ö	l 316A0 l Ě 326@10s l - . Ž ³ Œ l l m § Z }
ý l _ m	l 6 E ú m 6 Qu\$# um< 1aF\$ 5	Ž Ě 5 6	5 6	• d 6	l ó l Ě Ž	l 316A0 l ó l Ě Ž l Ě 326@10s l - . Ž ³ Œ l l m Ò Z } l 2 ú v – 4 ú

! V |

(SS)D*ª«©510K6S•GÂ

G>2(SS)D*!V|

Z }	510	6S
;	F86_64	ce't\$7.6¥\$pe')ule#20.3¥\$pe')ule#22.3¥H10
	¬ -	\$pe')ule#20.3¥\$pe')ule#22.3

ù \$%&'§î Ù · DA 56\$%¥ýl ým\$%¥ýl ¯m\$%Â

56\$%


56\$%+ , ž ý ° (©\$%+ , v õ ° + , R § ¥§

æ à Â ý ú v ý < ¥ × Ø v Ÿ ã • d

m o p q Â õ ° \$%+ , v ý » v î t u 1 2 •

– t ® Â Ö ¹ ì μ , Â

_>156\$%+ , _




l m \$ %

l m Z } Q ú v l 6 K m 6 @ ý ú v m 6 ¥

Å , Â

_ > 2 5 6 \$ % + , _



ý l ¯ m \$ %

¯ © \$ % + , v ~ ¼ Ě Ž © v Ö 6 Ž ³

Õ v ž ú ! © Â


ý ¯ \$ % ì • 1 l 2 m Z } v . 3 ú v 3 ú © § .

99.99 J v § î ¯ © § Â

l m ó Qu\$um q Ü v Ò å ý m 6 v æ à Â

l m ý ú v Ö Ñ ¹ Á © , Â

Do v ý ú v o æ μ , Â ý
ú mo § î l Â
l m Ě ó Ö § \$ % è Ò ý • d 6 Â
_ > 3 ý l ¯ m \$ % + , _



.


F 7 8 \$ % (SS)D* © L M † v Ò ì > „ » 4 f
—© 1 2 • € Â
» § î 4 f — 1 2 • € v É G 1 L M † “ d ± É
F ‡ © • € — 1 2 ž 7 8 \$ % (SS)D* © L M † v
û É © ! 7 8 v · 7 8 \$ % r m Â
L M 1 2 K • €
(SS)D* R Ö Ò L M K 510 " # © É ~ ¼ a « v a « G 1
G 1 L M † 510 " # É

L M		“ d ±
\$pe ')ule#	I\$pe ')ule# 20.03 I\$pe ')ule# 20.03 S12	IK86 I↵ - 920 I s2500 I 586
	\$pe ')ule# 20.03 S13	IK86 I↵ - 920
	\$pe ')ule# 22.03	IK86 I↵ - 920 I 586
	\$pe ')ule# 22.03 S11	IK86 I↵ - 920
5e ' t6S	5e ' t6S 6.F	IK86
	5e ' t6S 7.F	IK86 I↵ - 920
	5e ' t6S 8.F	IK86 I↵ - 920 I 586
3edGat	3edGat 6.F	IK86
	I3edGat 7.F I3edGat 8.F	IK86 I↵ - 920
	"%!& ' H7 des"\$t\$P	I↵ - 920
	I'"%!& ' 4.0.2 S12 I'"%!& ' 4.0.2 S14	IK86
	I'"%!& ' H10 I'"%!& ' H10	I↵ - 920
	"%!& ' H10	IK86 I↵ - 920 I 586
	"%!& ' H10 22047*u&!d037update1	I↵ - 920 I s2500
		IK86


4 f 1 2 • €

4 f & –

ý § • %Š 4 f 1 2 • €



· L M v § • %Š 4 f { S11 ¥ S12 ~




» L M ¥ L M ¥ 510 " # ¥ 510 N R ©


! 7 8 Â

î 1 2 · F86 v • ('te! v L M · 3edGat7.8 Â

Å , %Š 4 ï 1 2 • €



Ù .



§ L M · #he!_7 { ï 3edGat 7 ~ v 510 · F86_64L © 7 8

!


7 8 (SS)D* ©

M!&b7de/e! ¥ !&ba&\$ ¥ !&buu&d ¥ #ead!&' e7de/e! ¥ ""#b57

!&bs ¥ !&b&cu ¥ !&bFs!t ¥ tc! ¥ pe#! ¥ \$pe'!dap ¥ pam ¥ \$pe'ss!7

de/e! ¥ !&bFm!2 ¥ bM&p2 ¥ eFpect

1 2 8 ©



-s!a'uF	1%th\$' 3.6.K
---------	---------------

a p%th\$'

a —v a © 8

%um &'sta!! 7% gcc gcc7cEE ma"e cma"e bu&!d7esse '8a! M!&b7de/e! !&bP7de/e! \$pe'ss!7
de/e! s !&te7de/e!

Dget hNpsQ<<#ep\$.huaDe!c!\$ud.c\$m<p%th\$' <3.6.4<1%th\$'73.6.4.tgM

å v § î ý 7 8 Â

.<c\$'Rgu#e 77p#eRFA<us#<b&'<p%th\$'3.6.4 7e'able7sha#ed

ma"e

ma"e &'sta!!

T ý 1 2 f v K‰Š v § î μ ,

Â

eFp\$#t LD_L(*3-3:_1-2GA<us#<b&'<p%th\$'3.6.4<!&bQSLD_L(*3-3:_1-2G

eFp\$#t 1-2GA<us#<b&'<p%th\$'3.6.4<b&'Q\$1-2G

I (SS)D* © ! 1 2 v F ‡ © ! v ¯ •
€ < • ! 1 2 Â

!

; < † t u 1 2

(SS)D* À Á ± è ; < † t u 1 2 ^ m© !

•	510	¢ X	X Y	
(SS)D*	2 / E	4, *E	S-S\$100 ,	

1 2

(SS)D* À Á ± è 1 2 ^ m© !

5 6 \$ % ì 1 • d 6 6 Â
9 : \$ % ì À Á ± † l m f Q v \$ % ý l m 1 2 3 • d 6
6 Â

CP

(SS)D* a « 510 © K ° Z } Â (SS)D* @ © T æ «
ý ø Â

(SS)D* a « F86 ¥ -#m " # v a « ('te! ¥ ¬ - ¥ ¥ ®

¢ X

q © 4 Ĩ R ¢ X © f • v è • û < v § ‡ Ì ¢ X Ö ©
Â » • ¢ X © 6 ± v • c d Ü © û < f Â
9 : ý l m ì v À Á ± ¢ X • 8, î v ÷ ‡ Ì
sh#ed_mem\$#% Ö © Â

(SS)D* a « • SSD M • © l X Y T m v a « S-S K 4H9)

© SSD v î 3-(D © & } \$ % • Â • 3a!d1 v
3a!d5 Â

3a!d Dis" 5ache 1\$!&c% ý T • Disabled v 6 ± (
× Ø © Â
6 5 X Y r m ú !u' X Y T m v T m V W Ù M
• X Y T m K X Y T m Â
X Y T m © f v • 100, î Â
X Y T m © • 1, v • 649 Â

5 6 7 8 ì î Â

9 : 7 8 ì î Â

l > „ » 3 4 K ö 7 8 (SS)D* © K 1 2 Â
• æ à (SS)D* © (• v R L M K 7 8 1 2 , v
¢ 3

防火墙配置

R w l 6 , Â
 · æ à (SS)D* © (· v ó © Û ‘ ä Ÿ § î æ à b
 ¥ 0 ® · € © (Â
 è v © ¹ Á À Á K © ` Ÿ ž è 7 | ¢
 Â
 7 | © v w © , Â < · & ' ý Â
 ä · V v ä · € å À Á © 5 v < ·
 & ' Â
 3 t w \$ % 6 ± ©
 & ' ý
 1 î #\$\$t » x L M Â
 2 3 4 g , { î >5e't6S L&'uF #e!ease 7 · ~ Â

3 À Á Â

4 £ k j k À Á Â

5 3 4 g , Â

& ' ; ä
 1 , ä 5 Â

2 Ý 5 Â

3 4 f ä F G Â

F @ (1 ä · @ À Á © ß ä v » Ë © V W R P Â

À Á •	ä	
(SS)D*	5432	À Á ä
	5433 { À Á ä E1 ~	¢ \$ s ^ • ä
'tp	123	'tp ß ä
G-S	55434	9 : ä
	55435	9 : 0 ä
	55436	9 : À Á ä
	8008	9 : Ÿ ä
D5S	2379	D5S ó Ÿ ä
	2380	D5S ó Ÿ ä

î À Á ä 5432 · v ; ä ©‰Š

时间同步配置

R ì ó Ò Â
· æ à (SS)D* © (· v Ò @ © ì ó v ì ó Ö Ò § ÷
· v ‡ ì ì ó Ö r ® ‘ ’ Â
3 4 ì ó
· ‰Š § 4 f — ì ó ž I É V

T ì ó
V ì ó v · 5 6 · § 9 : I m æ « ì ó Ò v §
î & –

& – ý @ © ì T · Q Ò ì

1 î #\$\$t » x L M Â

2 <us#<sha#e<M\$'e&'U\$<w x © ì ! · <etc<!\$ca!8me ! v

T ì K ì ó Â

& – s T ì ó

1 î #\$\$t » x L M Â

2 Å , date 7s % Š T ì K ì ó Â

î T — ì ó · 2020708703 14015000 · Â

3 ì ó b ... ! ì ó Â

& – D · ì ó À Á ± Ò ì ó

R · § 9 : 1 2 v V ì ó v · l m æ « ì ó Ò Â

l m è ý ú É © M · ì ó À Á ± { ™ ! v ñ

§ · l ~ v · 'tpd ch#\$'%d À Á ì ó Ò Â L M î

• 'tpd À Á · Â

1 7 8 'tpd À Á Â

\$ % & ' () * + , - . / 0 ! " #
1 2 3 4 5 6 3 0

2 a z ! Â

X è 'tp À Á ± v · 192.168.100.100 v § î > Ä

'tp À Á ± ì ó Â a z · § 9 : ú © <etc<'tp.c\$'U !

L M w © Ž 421 Se#/e# K £ æ « Ò Â

è <etc<'tp.c\$'U ! © se#/e# Ö § ì v · !\$ca! ì ó M · 'tp À

Á ~ ¼ 'tp ° » ä Â

\$ © ì ó À Á ± v § î 9 : © ú M · ì ó À Á ± Â
ý ú · 'tp À Á ± { î l 192.168.100.1 · ~ è ©
<etc<'tp.c\$'Ù !

a z • § 9 : ©<etc<'tp.c\$'Ù !

è 'tp À Á j k ì ö 'tpd.c\$'Ù ! v j k 'tp À Á • ½ Â
3 2 © ° & } v j k @ 'tpd À Á

4 ® 5 Ù Ú · ì ó À Á ± ; ~ ¼ À Á v 5 Ù Ú 3 4 @ ì ó ž Ò
Â

5 ì ó Ò v è @ ì ó b ... ! ì ó Â

系统内核参数配置

¢ / < v û > „ » T ¢ / < Â
¢ / <
!\".a#o\$%a&\$nr
< G § î © (6 w Â
1048576 Â
è L&'uF 6 K 7 • a&\$ ì T Us.a&\$7maF7'# (6 Â
T •

'(e\$%a&

< G x ÷ § î ; © ! Â
è L&'uF 6 K 7 v R!e7maF © † ¢ / • < maF_R!es_pe#_p#\$cess R Â
T •

)erne("e%

< 4 ú < { · S) 9 9 SL ¥ S) 9 9 4 S ¥ S) 9 6 1 9 ¥ S) 9 9 4 (~ Â
S) 9 9 SL ú • f set • f ú v 250 Â
S) 9 9 4 S L&'uF • f ú v 32000 v ®
S) 9 9 SLVS) 9 9 4(Â
S) 9 6 1 9 S) 9 6 1 © • f ú v 100 = ®
S) 9 9 SL Â
S) 9 9 4(L&'uF • f set ú v 128 Â
&pcs 7! i &pcs 7u 4 f • f Â
16 ú ý v • f 17 ú • f Â § ö "e# 'e!.sem
Â
S) 9 9 SL G • f v S) 9 9 4(G Â
T •

)erne("h%a((

< ¨ Ü ¢ X v ® ¢ X { T · 80J ~ <
1- ,)_S(.) v < T § „ ø j k ê Â
5 b%te
• d ¢ X · 128,* v 1- ,) · 4096 v
"e# 'e!.shma!!A128V1024V1024V1024V0.8W<4096A26843545 Â
• getc\$'U 1- ,)_S(.) %Š 4 f page_sMe Â
¢ X P b%tes Â
T •

)erne("h%%a&

< G 5 ú ¢ X [{ . sha#ed_buXe# ~ v >®

¢ X V0.5 Â

5 b%tes

• d ¢ X . 128,* v

"e#'e!.shmmaFA128V1024V1024V1024V0.5A68719476736 Â

¢ X P b%tes Â

T •

)erne("h%%n#

< ¢ ¢ X [© f Â

ß 4096 Â

ú (SS)D* 9 : 2 ú ¢ X [Â

T •

net.*ore.net+e,-%a&- .a*)(og

< G å F © © w Â

&ptables G Q Â

T •

net.*ore.r%e%-+e!a/(t

< G © ¢ X ß Â

5 b%tes Â

T •

net.*ore.r%e%-%a&

< G © ¢ X Â

5 b%tes Â

T •

net.*ore.0%e%-+e!a/(t

< G < © ¢ X ß Â
5 b%tes Â
T •

net.*ore.0%e%-%a&

< G < © ¢ X Â
5 b%tes Â
T •

net.*ore."o%a&*onn

< G s\$c"et © bac"!\$g { F ~ Â
ß 128
T •

net.#1,4.t*1- 'n-2%eo/t

< G >(4_ ; -(2_2 g , © ì ì Â
5 Ð Â
Ý Â
T •

,%.+#rty- .a*)gro/n+- .yte"

< G < © f v Ã < å Â
5 bt%es Â
T •

,%.+#rty-e&1#re-*en2"e*"

< G © Ã ì ó v Ã ì ó ÷ b å Â
5 Í Ù ý Ð Â
/m.d&#t%_eFp&#e_ce'8secs © v é å Â

î ‰Š 3000 G 30 Ð Â
T •

,%.+#rty-ra2o

< G Í Ù v Ã õ ú Í Ù v © (6 ÷ é v å
é b Â

T •

,%.+#rty-0r#te.a*)-*en2"e"

< G ¯ ì ó v ÷ é ý v 3 4 ž X
d Â

5 Í Ù ý Ð Â

< T · 100 G 1 Ð v ‰Š 50 G 0.5 Ð Â

T •

,%.o,er*o%%#t-%e%ory

< G ¢ X Ù v § 0¥1¥2
0 G ¢ / 3 4 ž © § ¢ X ¼ • v © §
¢ X v ¢ X v ¢ X Ø v û ê ë Â
1 G ¢ / Ù © • d ¢ X v Ö c —© ¢ X g , Â
2 G ¢ / Ù Ã • d ¢ X K P ó . K © ¢ X Â
è Ù ¢ X ì /m.\$/e#c\$mmît_mem\$10#.\$/e#2

T •

net.#1,4.#1-(o*a(-1ort-range

< § î T k , ä Ù v i ä Â

T •

!".nr-olén

< G 5 ú § Ù © ! Â R ¯ R S { G ¥ ^ _ ¥ Æ ¥

F K • ´ ^ _ ® ~ © 1\$stg#eSQL v T · 2000 Â

5 ú

T · 2000 Â

T •

T ¢ / <

T ¢ / < — < Æ ¢ / < v É È < v ÷
Ñ © 7 8 \$ % Â

Ê v » è ì

)erne("h%a((< ¨ Ü ¢ X v ® ¢ X { T ·

80J v 5 b%te ~ <1- ,)_S(.) { getc\$' 1- ,)_S(.) ~ v < T

§ „ ø j k ê Â

)erne("h%%a& < G 5 ú ¢ X [{ ·

sha#ed_buXe# ~ v > ® ¢ X V0.5 v 5 b%te Â

)erne("h%%n# < ¢ ¢ X [© f v ß 4096 Â

,%.+#rty- .a*)gro/n+- .yte" < G < © f v Ã < v

å v 5 bt%e Â

& } ý ý T ¢ / <

1 î #\$\$t » x L M Â

2 T ¢ / < { ý T ~ v < < • ¢ / < Â

"e% G <

/alues G T © < v < W Â

3 v • è Ö 6 © ½ Â

& } f T ¢ / <

1 î \$\$\$t » x L M Â

2 a ¢ / < ! <etc<s% sct!.c\$'U v ¢ / • € b ... ! Â

• d ¢ X > 0 8, ì v U ¢ / < T "e#'e!.shma!! K

"e#'e!.shmmaF © Â

î ¢ / < ò ¼ < Æ v ´ T É < K Ë ,

T Â

3 • € b ... æ X ‡ Â

4 v • è Ö 6 © ½ Â

SELI3 4

1 4 f ž ; j S)L(40K v ž ; j ž dlabled v ; j ž
e'U\$#cl'gÂ

2 ì S)L(40KÂ

3 Ÿ Ã ö ! S)L(40KÂ

1¥ a z ! Â

2¥ S)L(40KAe'U\$#cl'g ö · S)L(40KAdisabled Â

3¥ j Â

x

(SS)D* 7 8 ì \$\$\$t » x Ũ ' v § î Ÿ Ã T ·

\$\$\$t » x Â

1 î \$\$\$t » x L M Â

2 ö 1e#m&t3\$\$\$tL\$g&' v » x Â

1¥ ; sshd_c\$'Rg !

2¥ ö v § î · î ° & } Ë ì

1e#m&t3\$\$\$tL\$g&' '\$ Â

1e#m&t3\$\$\$tL\$g&'L · %esLÂ

3¥ Å , QD æ X û ‡ a z

3 j ssh · %Š ½ Â

IPC <

7 8 ì (15 < Â
” • €
3em\$/e(15A%es ì v L M ÷ è » ‡ ì v » © (15 {
¢ X [K • f ~ v • (SS)D* À Á ± • © (15 é d v § Æ <
6 v î T 3em\$/e(15 < · '\$Â

L M

1 î #\$\$t » x L M Â
2 ... <etc<s%stemd<!\$g&'d.c\$'U ! v 4 f ž T
3em\$/e(15A'\$v Å , 3 v Ã Â

3 è ! , 3em\$/e(15A'\$Â
4 ...<us#<!&b<s%stemd<s%stem<s%stemd7!\$g&'d.se#/&ce ! v 4 f ž
T 3em\$/e(15A'\$v T Å , 5 v Ã Â

5 ö Ý 3em\$/e(15A'\$Â
6 Ý < Â

7 3 4 ö ž ½ Â

T M5 { § ~

@ K P 6 © 920 { 5 ~ T · Q Ò
{ 920 1500 ~ v 8192 { 920 § £ , ö ~ Â Ò
P 6 ý ö { ö & – İ P 6 ~ Â

1 î #\$\$t » x L M Â

2 Å , %Š v T 920 Â

a š Ÿ Ã ¨p a%Š 4 f Â

& – ý

& –

Ý V { š ~

!

(1 • € ä

项目名称	描述说明	备注
l 6	ℓs\$+'\$de2	l m l 6
(1	192.168.146.162	(1
ä	26000	D*'\$de ä

» VW

项目名称	名称	所属类型	规划建议
3 7 8	9 : :	; <	= > ? @
A 8	BCDEF	; <	= > ? @

! w x VW

目录名称	对应名称	目录作用
G9FHGI9JHKLEMGNIIIMBC	I9JHKLEM	O P Q R S T U V
G9FHGNIIMBCGNWIHLXXGLFF	YZZ[\]^FF_LH`	a b c O P U V
G9FHGNIIMBCGX9D	YZZ[\]d9D_LH`	e f U V
G9FHGNIIMBCGNWIHLXXGBLHLGBCg	BLHLh9BMg	i j a b S T U V
G9FHGNIIMBCGH : F	H : F k FFBC_LH`	I m R U V
G9FHGNIIMBCGNIIIMBCH99XI G9 :	YZZ[\]n99X_LH`	a b c o p U V
G9FHGNIIMBCGq9EMJNXM	q9EM_LH`	a b c q9EM m R U V

T @ | 6 •
1 Û è@ Å ,

2 T @ <etc<h\$sts

7 8 » K w x
1 î #\$\$t » x L M Â
2 7 8 » { § £ ~ v T P { q ... 2
ü | ý ø ~ Â

£ © L M » § 7 8 v ! K I , Q
P Â
3 (SS)D* w x Â

ö Ü
1 { @ ~ î #\$\$t » x L M Â
2 Å , j /& <etc<secu#&t%<!m&ts.c\$'U v è ! Ý ¢ ³ v æ X ‡ Â

NIIMBC
NIIMBC
NIIMBC
NIIMBC
NIIMBC
NIIMBC
NIIMBC
NIIMBC
NIIMBC
NIIMBC
NIIMBC

.

— ~™!

†12

\$Ù¢³R l m LM 12 , v î LM •
#\$\$t » Å , Å

v ; j ä Å

SELI3 4

ì S)L(40KÅ

ì 6 Ò

j k 9 : — , ý ì ó Ò Å

x

T #\$\$t x Å

¢ / <

1 2 Ë ¢ / < Å

IPC < T

3em\$/e(15 Å

8

7 8 Å

7 8

QR r

s t QR r v s t NIIMBC u 4 v w m
R x y z { | } ~ • €

NIIMBC
NIIMBC

4ML !

K9L ! { I ~

H P

i j 3 7 UV , f mR
• z { ; < „

... † ‡ ^

%Š < Œ i j ‡ ^
Œ i j ‡ ^

„ • < , Ž • @ • ‘ 3 ’ “ ” (•

< œ

Ë A N	<	
ù • €	'ame	l 6 •

Ë A N	<	
aM4ame	> aM4ame { - /a!lab!e . \$'e 4ame ~ v H I J { Ö H I ~ v - .1¥ - .2¥ - .3Â	
aM1#&\$#&t%	> aM1#&\$#&t% © Ž Â	
bac"(p1	I 6 è ä X Y © (1 { ¢ (1 ~ Â (SS)D* I 6 • ä X Y Ÿ Â	
ssh(p1	T SSG § • Ÿ (1 { (1 ~ Â v § î Ö T = Ò bac"(p1 T Q Ò (1 Â	

´ 7 8 1 2

U V %37 @ j ; <

• c

a «

• ┐ -

® a « ┐ -

a « ┐ -

~ > | O P © • ‡ ^ i ¯ b | } ~ ° ... = a

$\bar{b} z \{$
 $\pm - \textcircled{\cdot} \cdot ^2 | \} \sim ^3 \acute{\mu} \{ ^\circ \dots$
 $| \} \sim \text{---} \sim \P \ddot{Y} \cdot , ' = > u m ^1 V ^\circ$

Å , 7 8

ö l


$\gg \frac{1}{4} v \frac{1}{2} \cdot i j \quad z \{ | \} \sim$
 $\frac{3}{7} i j \quad ; <$

Å , 7 8

$i j \quad \frac{3}{4} \textcircled{\cdot} \ddot{Y} \quad 3 7 z \{$

$z \{ \text{„} \quad \pm -$

$j \quad z \quad \{ \quad - \quad - \quad ' \quad \sim \quad >$
 $e f m R$
 $\grave{A} \quad \acute{A} \quad i$



.
DIBC © ã DIBC K R DIBC À Á ± © 1 2 d Â
— ~™ ! i Â
DIBC
1 î 7 8 » \$mm x Â

2 ... 7 8 è w x Â

3 Å , % Š Â

v 7 8 © DIBC { ï 7 8 w x S(SS)D*G6 9) R w x ~
K DIBC Q 1 2 f é v ò æ Ë Â

7 8

î \$ % (SS)D* ý l ý m 9 : · v \$ % 1 2

1 2	
À Á ± f	2 • d 6 6
L M	; < Â Š 5 Ã
! 1 2	Q R 5 Ã
! 1 2	Ä R 5 Ã

7 8

!

IP • € ä

w •		m
l 6	4\$de1 ¥ 4\$de2	l m l 6
(1	192.168.146.130 ¥ 192.168.146.131	l m l 6 (1

w •		m
ä	5000 ¥ 26000	cm ä ¥ D* '\$de ä

» VW

w •	•	A N	VW
»	\$mm	L M	<
	dbg#p	L M	<

! w x VW

w x •	R •	w x M
<\$pt<s\$+Da#e<ssedb	s\$+Da#e	7 8 ! X w x
<\$pt<ssedb<app	(SS)D* - pp1ath	7 8 w x
<\$pt<ssedb<!\$g<ssedb	(SS)D*L\$g1ath	w x
<\$pt<ssedb<data<d1<	data4\$de1	l m X w x
<\$pt<ssedb<tmp	tmp 9 ppdb1ath	ì ! w x
<\$pt<ssedb<t\$\$!	(SS)D*2\$\$!1ath	s ^ w x
<\$pt<ssedb<c\$#eR!e	c\$#e1ath	c\$#e ! w x
<\$pt<ssedb<cm	cmD℥#	59 w x

T @ l 6 •

1 Û è @ Å ,



• a b c i j z {

2 T @ <etc<h\$sts

7 8 » K w x
1 î #\$\$t » x L M Â
2 7 8 » { § £ ~ v T P { q ... 2
ü | ý ø ~ Â

ÅÆÇ ; < 3 7 8 ' 3 È O P a b c m R É A “ É 4 5 µ { Ê Ë
P Â
3 { l ~ ! w x { § £ ~

ö Ü
1 (@) î #\$\$t » x L M Â
2 Å , j /& <etc<secu#&t%<!&m&ts.c\$'U v è ! Ý ¢ ³ v æ X ‡ Â

•	(1	ß ä
l	192.168.146.157	5432ß5433ß26001ß26002ß26003
m	192.168.146.158	5432ß5433ß26001ß26002ß26003

— ~ ™ !

† 1 2

\$ Û ¢ ³ R l m L M 1 2 , v î L M •
#\$\$t » Å , Â

v ; j ä Â

SELl3 4

ì S)L(40KÂ

ì ó Ò

j k 9 : — , ý ì ó Ò Â

x

T #\$\$t x Â

¢ / <

1 2 Ë ¢ / < Â

IPC < T

3em\$/e(15 Â

8

7 8 Â

7 8

Q R r

s t Q R r s t u 4 v w m R
x y z { | } ~ • €

4ML !

K9L ! { I ~

H P

i j

```
í ž ô õ í • i j 8 à ñ ò

ó ñ ö

i j æ a b u v à × a b u v

i j æ • æ ( ) ø + i j a

æ i j ‡ ^ ¢ ~ ù ú × 8 ì

„ • ‹ , ž • @ • ‘ 3 ’ “ ” ( •
```

< œ

实例类型	参数
ù • €	'ame
aM4ame	> aM4ame { -/a!able .\$. 'e 4ame ~ v H I J { Ö H I ~ v -.1¥ -.2¥ -.3Â
aM1#&\$#&t%	> aM1#&\$#&t% © ž Â
bac"(p1	l 6 è ä X Y © (1 { ¢ (1 ~ Â (SS)D* l 6 • ä X Y Ÿ Â
ssh(p1	T SSG i / • !@ i • G

实例类型	参数
	T = Ò bac"(p1 T Q Ò (1 Â

´ 7 8 1 2

```
3 7 i j ; <

• c

z { | z {

| z { — ~ ™ e f š > œ • ž
œ • Ÿ
f ž 3 7 % • i j •
| z { § " z { — ' ~ >
z { — — ' ~ >
m R
| } ~ z { © • „

a «

a « ¬ -

a «
• ¬ -
® a « ¬ -
```

a « -

~ > | O P © • ‡ ^ _ i ¯ b | } ~ ° ... = a

— b z { ± - © • ² | } ~ ³ ´ μ { ° ...
| } ~ — — ~ ¶ Ÿ · , ‘ = > u m ¹ V °

Å , 9 : 7 8

ö l

» ¼ v ½ • i j z { | } ~
3 7 i j ; <

Å , 7 8

i j ¾ ç Ÿ 3 7 z {

z { „ ± -

z { — — ‘ ~ >
e f m R

À Á i j

>

.

. .

R Â
A N K ...Q Ò Â

& Â
A N d\$ub!e p#ec!s!\$'

Ö < © © ù Â
A N ù Â

O · E Â
A N d\$ub!e p#ec!s!\$'

£ > Â
A N dp\$# 'ume#c v ÖŒ } A N O P © † ...Q Ò Â

Ö < © ù Â
A N † ...Q Ò Â

£ R Â
A N dp\$# 'ume#c v ÖŒ } A N O P © † ...Q Ò Â

î 10 · © R Â

A N † ...Q Ò Â

 î b · © R Â

A N 'ume#c

F<% © { Z ~ Â F ž 0 v 0 Â

A N † < A N Q Ò Â

 ZL (f Â

A N d\$ub!e p#ec!s!\$'

a © b Â

A N d\$ub!e p#ec!s!\$'

 E O · Â

A N d\$ub!e p#ec!s!\$'

0.0 å 1.0 ó © 6 Â

A N d\$ub!e p#ec!s!\$'

 ... < © ù Â

A N † ...Q Ò Â

æ s v s ý , ... Â

A N 'ume#c

 ‡ < © I Â

A N 71 G v 0 G 0 v 1 G Â

& Â

A N dp \$# 'ume#c v ÖŒ } A N O P © † ...Q Ò Â

 { ù \$ Ò ~ Â
A N † ...Q Ò Â

 · s Â
A N 'ume#c

 ·

 Â
A N d\$ub!e p#ec!s!\$'

 Â
A N d\$ub!e p#ec!s!\$'

 n Â
A N d\$ub!e p#ec!s!\$'

%<F © n Â
A N d\$ub!e p#ec!s!\$'

 Â
A N d\$ub!e p#ec!s!\$'

 n Â
A N d\$ub!e p#ec!s!\$'

 Â
A N d\$ub!e p#ec!s!\$'

n Â
A N d\$ub!e p#ec&s!\$'

.

H I J Â
A N teFt

H I J © Â
A N &'t

î dest_e'c\$d&'g > © w a & } O ´ H I J b%teaÂs#c_e'c\$d&'g >
a & } v è a v st#&'g ž É – © Â
A N b%tea

H I J O ´ . b Â
A N /a#cha#

H I J © H Â
A N &'t

P H I J Â>369 &'t G ý ú st#&'g © ú H I ; P v
U\$# &'t G P ý ú st#&'g © H I w Â
A N teFt

> H I J © Â H I J ù b Â
A N &'tv H I J Ö X è ì 0 Â

H I J v U\$#m & 't G ú H I ; v U\$# & 't G
ú H Â
A N teFt

16S(K G } © H I J Â v
Z } © \$ Û Â
A N teFt

H I J st##'g © ; ¥ cha#acte#s H I {
ž ý ú ~ © © H I J Â
A N /a#cha#

H I J O ´ . b Â
A N /a#cha#

< st##'g © ý ú H I © -S5((Â
A N & 'tege#
(1 #SD)

st##'g ; K cha#acte#s H I { ž ~ ©
H I J Â
A N teFt

‡ -S5((© H I Â
A N /a#cha#

î dest_e'c\$d&'g > © w a & } O ´ H I J b%teaÂs#c_e'c\$d&'g >
a & } v è a v st##'g ž É – © Â

A N b%tea

 H I J © ú 5 © H O ´ . b v H O ´ . b Â
A N teFt

 < st##'g H I © w Â
A N &'tege#

 ÿ Ã H I R!! { ì . ~ v st##'g . !e'gth Â
st##'g !e'gth \$ Â
A N teFt

 H I J st##'g © ; cha#acte#s H I { ž ý ú ~
© © H I J Â
A N /a#cha#

 st##'g • 9D5 Ý Þ v û î 16 Ü M . Â
> >9D5 Ý Þ – 7 | v X è 7 | v Ö • Â
A N teFt

 st##'g q 'umbe# Â
A N teFtÂ

 H I J st##'g ‡ ì © H I J U##\$m © ¢ ³ P H I J t\$ ©
¢ ³ Â
A N teFt

 • H I R!! { ì . ~ v st##'g å !e'gth Â
st##'g !e'gth \$ Â
A N teFt

H I J st## 'g © cha#acte#s H I { ž ú ~ ©
© H I J Â
A N teFt

de!&m&te# Û st##'g © Re!d ú H I J { ‡ ì ý ú
de!&m&te# © teFt · ~ Â
A N teFt

> © H I J © Â K p\$8\$(subst##'g &' st##'g) ý v Ö Ã <
Q Â
A N &'t

'umbe# O P Ü G ì + } Â
A N teFt

è st##'g © U#\$m H I © H I O ´ · R © è t\$ ©
H I Â U#\$m t\$ v è U#\$m ‡ ì © © H I Â
A N teFt

.

ì ó A N © O P · > | } © H I J Â
A N teFt

ì ó ó A N © O P · > | } © H I J Â
A N teFt

ù A N © O P · > | } © H I J Â
A N teFt

AN© OP · > | } © H I J Â
AN teFt

HAN© OP · > | } © H I J Â
AN teFt

H I J AN© OP · > | } © Â
AN 8mestamp Dłth\$ut 8me M\$'e

H I J AN© OP · > | } © H Â
AN 'ume#&c

H I J AN© OP · > | } © ì ó Â
AN 8mestamp

04(K OP ì ó Â
AN 8mestamp Dłth 8me M\$'e

.

(SS)D* § î • Database K Schema Ě ì ¹ Á © v è Database ©
Ý v @ ú Database ó v § Ě ì ¥
® v Database ó – Ũ Â Schema © & } – v § î Ÿ Ą
g#a't † #e/\$"e • – ð " Ü Ö Ò » R@ Schema R S © Â
ð K ½ Œ v • Schema , ¹ Á Â
c d e Schema K Database v Q » R © Â

V è Ě ¹ Á v © Database v Ö •

Ë ß © p\$stg#es Â
ý ú Ë ¢ v » £ © Database f Ö Ã 3 ú Â
· ¡ ´ © v • a X Y † G ¯ © H
l v Database © ì • 02>78 a Â
Database ì v H l 9 a {)456D(4 , ~ K ^{2 3}
{ D*56 9 1-2*(L(2: ~ ú Â(SS)D* a « - ¥ * ¥ 5 K 1, ° ^{2 3} Z } v
Ù G ^{2 3} 6 • - ¥ 9 : • - ¥ 2D • - K 16S2,3)S • - v Ö Ò ^{2 3} Z } ©
• - , · X è ý v ß · - ^{2 3} Z } Â
Database © \$D'e# ß Database R S © v
Â Ñ v • Â

» Ö ^ s%adm' = Ö ž Schema © \$D'e# v Û '
Schema © R S v Ò ì » Schema © usage K R S © Q
Â
è Schema R S v L M » Schema © c#eate
Â
Schema © \$D'e# ß Schema R S © v
Â Ñ v • Â

(SS)D* © Ù è@ú D4 Â . v © G T U î
G Ù è@ú D4 Â Ù v § î i è \$
Ù D4 9 Ù v „ ø X Y Ë ½ ³ f Â ÿ Ã
É © Ù F v § î Â
G © Ù è@ú D4 Â 9 è \$ Ù D4
v „ ø Â v è Ë G • ® Ã ™ ! ì v ÷ „ ø
Ö Â
© f Â ÿ Ã Ù G © 6 Ü § î ©
f Â
f 6 (<6 Â ÿ Ã < \$ § î Ë ì © X Y v
6 (<6 O P · (<6 v © (<6 Â

f shu[eÂshu[e v ž > è • d v ý ú v
å ý ú Âshu[e f © v Ö ©
shu[e v § î v • © “ d ´ v ~ • Ë © K
§ ª « © û < Â ÿ Ã R `™ ! K Û ™ ! © T U v §
Ö © shu[eÂ

G©XYANžG T U© ý v ° » ¹ ÁANž G©XY
AN© I v GXYAN© <ÆG1Â
G>1 G©XYAN

XYAN	
, X	4 ĩ { x v Æ©œ5 4 ĩ ~ Â , ¥ ¥ LM ¯© Â
FX	UÛ A 4 ĩ { ` ¥ Û LM ¯© ~ Â ï 4 ĩ { 4 ĩ™ ! Ö v , XG í î • Æ~ Â

Û & '

G©Û & } © ý î
G>2 G©Û & } •

Û & }		
Gash	G ÿ Ã Gash & } F å Ë © D4 Â	f © Ë G Â
3ep!¸ca8\$'	Ë ý ú D4 ý o ! f G Â	¶ G ¥ f © Ë G Â
3a'ge	G R > F , v Û å R D4 Â	» £ Û V © Â
L&st	G R > F ^ , v Û å R D4 Â	» £ Û V © Â

G © f ì v RG , Û v ý î

• ^ ó © H [, ù v ¥ ® H [ù Â

ù • ì ù © Â v Ê HE ó Â ù © ù · 9 -KH-L0) v î i § ‡ ì ©

‡ Â

N © ù G

53) -2) 2- *L) staXS_p1

(

>>staX_(D 40 9 *)3(6) '\$t 'u!!B

>>>(3S2_4 - 9) H-35G-32(20)B

>>L-S2_4 - 9) H-35G-32(25)B

>>) 9 -(L H-35G-32(25)B

>>1G64)_40 9 *)3 H-35G-32(20)B

>>G(3)_D-2) D-2)B

>>empl!\$%me't_(D H-35G-32(10)B

>>S-L-3: 40 9 *)3(8B2)B

>>56 9 9(SS(64_152 40 9 *)3(4B2)B

>>9 -4 - ,)3_(D 40 9 *)3(6)B

>>sec8\$'_(D 40 9 *)3(4)

)

1-32(2(64 *: 3-4 ,) (G(3)_D-2))

(

>>>1-32(2(64 G(3)_19950501 H-L0)S L)SS 2G-4 (Y1995705701 00Q00Q00Y)B

>>>1-32(2(64 G(3)_19950502 H-L0)S L)SS 2G-4 (Y1995705702 00Q00Q00Y)B

>>>1-32(2(64 G(3)_maF/a!ue H-L0)S L)SS 2G-4 (9 -KH-L0))

)C

Gash G © ù Ê v ù Ê Ö v § ÷ „ ø v

„ ø 4 Ĩ ì v (<6 9 è \$ ù D4 v Ñ ù 4 Ĩ Â v è

Gash G © ù v R G , 3 4 v î æ ©

ù Â ù Ê © ý î

M Ù Ê © H [v î ð è @ ú D4
Ù Â 5 ú H [– ™ ! ì v § î Æ • ¯ ú H [ý M · Ù
Ê Â ý v § î Æ G © I Ê M · Ù Ê Â v è e • € G
à ! M · Ù Ê Â
è ý ™ © v f Ö è 4 İ X è (f Ã ™
! © H [M · Ù Ê Â v è G d D c " Q © 4 İ v H [M d h X è (f Ã
™ ! M d h A \ 000001 \ L v f Ö M d h H [· Ù Ê Â
è — ™ © v f 4 İ © ` ™ ! · Ù Ê Â
` ™ ! M · Ù Ê ì v \ \$ ' Á © Q Ù è D4 v
D4 ó © k Â

(SS)D*ª« , F É X Y Â , ¥ F X Y Z N @ v Ë Â
ÿ ((SS)D* 21 © v ß • , X Y v ò R Å , q 4 İ ü
f © -1 ì v • F X Y Â
, X Y ž > G , X Y å Ù v F X Y ž > G F X Y å Ù
Â ß v © G · , X Y Â
, ¥ F X Y

X Y Z N		
, X	é æ X è ý Â (4S)32<01D-2)³ Â	{ Selec8\$' ~ ì ı • F v ñ ÷ é Â
F X	4 İ ì å © F ÷ é Â { 1# \$lec8\$' ~ • ½ Â F M · Æ Â	ì v é © F 8 Â (4S)32<01D-2) Â

ý v G © H [¯ { G ~ v 4 İ å © F Ö ¯ ©
v É F X Y Â G © H [ú v 4 İ \$ Ù H [v , X
Y Â

X Y A N	
, X	4 İ { x v Æ © æ 5 4 İ ~ Â

XYAN	
	, ¥ ¥ LM ¯ © Â
FX	U Û A 4 İ { ¨ ¥ Û LM ¯ © ~ Â İ 4 İ { 4 İ™ ! Ö v , X G í î • Æ ~ Â

·
è H [T U ì v 4 İ ½ © Æ v ý î
f • • ½ AN Â
AN ì v è ¹ Á © v AN © Ž • å
· ù ¥ ¥ 409)3(5 Â
¯ ú G X è y z ì v G Ò ý © H [• Q Ò ©
AN Â
R H I J v • H I J AN v û > Â
Á æ > © X Y © H I v ‡ ì
‡ ì H I ì S Â AN · H I J v v Ö
• 5G-3(')¥*15G-3(')¥45G-3(')¥5G-3-52)3(')Â

¹ Á ¡ H [v v Ö • D)>-0L2 \] v
Ý ì Ö I É © Â
Ö X è 40LL © H [Ý 462 40LL \] v ´ ± ÷ è
R , £ k ´ Â
§ î }% © \] }% Â 462 40LL K D)>-0L2 \] v
\] § î }% Â

1a#8a! 5!uste# =e% { \$ v œ • 15= ~ ž F X G © ý ° \$ v è
(SS)D* v • 15= § î Ÿ Ã m&'<maF Æ Ë ì Ë G Ã Â 15=
© î

ý G ý ú 15= v ý ú 15= § î ¯ F v ž ý Ö
Ã 2 F Â
è 4 ï ©œ 5 G } Ã ™ ! 15= Â õ ° Ã ™ ! ý
c\$! \$p c\$'st v c\$! · F v \$p · L M I >A¥0¥0A¥@A¥@ v c\$'st ·
è ™ ! ©— ~ v dïs8'ct ¯ © F

, X G ¥ F X G ª « ý \] Â
% ý \] v v % .

)2L v f Ä ° » ä f 9 © L M Â
 9 Ã v Æ ¹ Á T U ž É d Â
 • Á & } Å , DDL K D9L L M Â v t#u'cate table ¥ update
 table ¥ delete table ¥ d#Sp table ® L M v ý Å , ~ – p q Â R õ A L
 M v • Á , 8 v ì § î , Â
 è 4 Ĩ a b ì v F ‡ 4 Ĩ © H [v Ö •
 S)L)52 VL õ ° b – Â ý & Æ v f 4 Ĩ ‡ F ý &
 , H [R— ä ¹ Á ² ³ © Ñ Â
 è Û ‘ G R S ì schema — v § î schema n P „ ø Û ‘
 å © G Â
 Ã 3 G ^ _ , ` { ž >0LL?6(4 ~ ì v Å , í î
 Â • ; (2G 2- *L) -S • ó ì G © & } , Ý SQL • © § Â

© Å , UWÖ v „ ø 4 Ĩ ´ Â
• ì ó Q © # P '\$D B — ì ó Â · '\$D B
© Å , UW – v „ ø 4 Ĩ ´ Â

c d @ A R S v † Â R S ì § î >
R © G ó v Ö > Q © G ó v Q © R S ÷ ß æ X è
1, _D) > - 0 L2 ó Â c d © R S § Ù è ¯ ú G ó Â

G ó

è (SS)D* v G ó ž ý ú w x v § î X è ¯ ú v X Y © ž ©
© @ ° • d ! Â G ó ž ý ú w x v ò ž å • d © M v
c d ! Â

Z }

(SS)D* © Z } ž R ý ú y z Ù \$ Â © R S è Z }
Â (SS)D* © Z } K » ž % & © v ' © % & ž > (» © Ò ì
÷ £ k ý ú Ò Z } v » ñ § î 5) Z } v û ü · » >
© Z } Â

» K E

(SS)D* • » K E ¨ Ü R © Û ´ Â E £ © T Ö Ò v ý
ú E § î f ž ý ú » v = ý » Â è (SS)D* E K
» ó © è E ß ž L 6 , (4 © Â è (SS)D* ý ú »
ý R ý ú E v Ö Ñ § î • E * Ý , c d Â

Á c d

è Á c d v (SS)D* 9 H 5 5 { ¯ û < ¨ Ü ~ É + [© & } v
ž b ó Ö , Â (SS)D* ý X v ž K —
© è ý Â (SS)D* [©) * v ž ·

Æ... ý ú H-5009 Â ý » Ö v
Â v (SS)D* ž £ k ~ Á Â

->

\$mm ` &s\$+ '\$de1 sc#&ptaS gs\$m 7t status 77deta&!

5!uste# State a

```
cluster_state 0 4$ma!
```

#ed&st#&bu8 'g Q 4\$

cu##e't_aM Q - ._-LL

_ Data ' \$de State a

```
>>>> '$de    '$de_&p    p$#t    &'sta'ce    state
```

~~~~~

```
1  &s$+'$de1 192.168.146.161 5432      6001 <$pt<Issedb1<data<d1  1 1#&ma#%
```

4\$#ma!

```
2  &ss+'$de4 192.168.146.164 5432      6002 <$pt<&ssedb1<data<d4  S Sta'db%
```

4\$#ma!

\_\$mm ` &s\$+ '\$de1 sc#&ptaS gs\_\$m 7t st\$pc

St\$pp& ' g c!uste#.

AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

Success!!% stopped cluster#.

AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

```
) 'd st$p c!uste#.
```

\_ \$mm ` &s\$+ '\$de1 sc#&ptaS gs\_ \$m 7t sta#tC

Sta#8 'g cluste#.

AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

\_S055)SSa &s\$+ '\$de1

2023707728 14056033.308 64c366a1.1 \_u''''\$D'a 140593643417856 \_u''''\$D'a 0  
d'\_6001\_6002 01000 0 \_\*-5=)4Da ; -34(4,Q c\$u!d '\$t c#eate a'% G- 251<(1  
s\$c"ets

2023707728 14056033.309 64c366a1.1 \_u''''\$D'a 140593643417856 \_u''''\$D'a 0  
d'\_6001\_6002 01000 0 \_\*-5=)4Da ; -34(4,Q >a!ed t\$ &'&8a!&Me the mem\$#%  
p#\$tect U\$# g\_&'sta'ce.aN#aN#\_st\$#age.cst\$#e\_buXe#s (16 9 b%tes) \$# sha#ed  
mem\$#% (1188 9 b%tes) &s !a#ge#.

\_S055)SSa &s\$+ '\$de4

2023707728 14056034.716 64c366a2.1 \_u''''\$D'a 140365746151680 \_u''''\$D'a 0  
d'\_6001\_6002 01000 0 \_\*-5=)4Da ; -34(4,Q c\$u!d '\$t c#eate a'% G- 251<(1  
s\$c"ets

2023707728 14056034.717 64c366a2.1 \_u''''\$D'a 140365746151680 \_u''''\$D'a 0  
d'\_6001\_6002 01000 0 \_\*-5=)4Da ; -34(4,Q >a!ed t\$ &'&8a!&Me the mem\$#%  
p#\$tect U\$# g\_&'sta'ce.aN#aN#\_st\$#age.cst\$#e\_buXe#s (16 9 b%tes) \$# sha#ed  
mem\$#% (1188 9 b%tes) &s !a#ge#.

AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

SuccessUu!!% sta#ted.

j h

\_ \$mm ` &s\$+ '\$de4 d4aS gs\_ \$m 7t st\$P 7D <\$pt<&ssedb1<data<d4

St\$pp&'g cluste#.

AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

\_, -0SS753606aQ 5a' '\$t st\$P the databaseB the cmd &s s\$u#ce  
<h\$me<\$mm<.bash#cC p%th\$'3 Y<\$pt<&ssedb1<t\$!<sc#&pt<!\$cal<St\$P('sta'ce.p%Y 70  
\$mm 73 <\$pt<&ssedb1<app 7t 300 7D <\$pt<&ssedb1<data<d4 7m UastB )##\$#Q







>>>>>>pee#\_#\$!e Q 1##ma#%  
>>>>>>pee#\_state Q 4\$#ma!  
>>>>>>state Q 4\$#ma!  
>>>>>>se'de#\_se't\_!\$ca8\$' Q 0<4001\*58  
>>>>>>se'de#\_D##te\_!\$ca8\$' Q 0<4001\*58  
>>>>>>se'de#\_bush\_!\$ca8\$' Q 0<4001\*58  
>>>>>>se'de#\_#ep!a%\_!\$ca8\$' Q 0<4001\*58  
>>>>>>#ece#/e#\_#ece#/ed\_!\$ca8\$' Q 0<4001\*58  
>>>>>>#ece#/e#\_D##te\_!\$ca8\$' Q 0<4001\*58  
>>>>>>#ece#/e#\_bush\_!\$ca8\$' Q 0<4001\*58  
>>>>>>#ece#/e#\_#ep!a%\_!\$ca8\$' Q 0<4001\*28  
>>>>>>s%'c\_pe#ce't Q 100 J  
>>>>>>cha' 'e! Q 192.168.146.164Q47386@77192.168.146.161Q5433  
m 6 ( § î n P  
l m n P  
\_ \$mm ` \$s\$+ '\$de4 d4aS gs\_ct! sD&tch\$/e# 7D <\$pt<ssedb1<data<d4  
\_2023707728 15Q16Q55.469a\_19198a\_a\_gs\_ct!aQ gs\_ct! sD&tch\$/e# bdatad&# &s  
<\$pt<ssedb1<data<d4  
\_2023707728 15Q16Q55.469a\_19198a\_a\_gs\_ct!aQ sD&tch\$/e# te#m (1)  
\_2023707728 15Q16Q55.474a\_19198a\_a\_gs\_ct!aQ Da&8' g U\$# se#/e# t\$ sD&tch\$/e#.....  
\_2023707728 15Q17Q00.592a\_19198a\_a\_gs\_ct!aQ d\$'e  
\_2023707728 15Q17Q00.592a\_19198a\_a\_gs\_ct!aQ sD&tch\$/e# c\$mp!eted  
(<\$pt<ssedb1<data<d4)  
  
4 f 9 : g ,  
\_ \$mm ` \$s\$+ '\$de1 dataaS gs\_\$m 7t status 77deta&!  
\_ 5!uste# State a  
  
c!uste#\_state Q Deg#aded  
#ed&st#&bu8'g Q 4\$  
cu##e't\_aM Q - .\_-LL



[illegible]

```
<$pt<bac"up<bac"up.s ! 7p 26000 testdb 7> p
gs_dump_p$#tA\26000\%a_testdba_2023707727 19053031a0 2he t$ta! $b\lects 'umbe# &s
432.
gs_dump_p$#tA\26000\%a_testdba_2023707727 19053031a0 _100.00Ja 432 $b\lects ha/e
bee' dumped.
gs_dump_p$#tA\26000\%a_testdba_2023707727 19053031a0 dump database testdb
successuu!!%
gs_dump_p$#tA\26000\%a_testdba_2023707727 19053031a0 t$ta! 8me0 1563 ms
```

y z p q

>

77 • » test v Å , gs\_dump © s ! / v p q å template1

\_ \$mm ` &s\$+ '\$de2 bac"upaS gs ! 7d template1 70 test 7 ; huaDe& ` 1234 7p 26000

7U <\$pt<bac"up<bac"up.s !

S)2

S)2

S)2

S)2

S)2

S)2

S)2

53) -2) S5G) 9 -

-L2)3 S5G) 9 -

S)2

S)2

S)2

53) -2) 2- \*L)

-L2)3 2- \*L)

53) -2) 2- \*L)

-L2)3 2- \*L)

3)H6=)

3)H6=)

, 3-42

, 3-42

t\$ta! 8me0 14 ms

à y z m o p q

```
[omm@isoftnode2 script]$ issql -d testdb -p 26000 -r
issql ((isoftDB 5.0.0 build 4ec82cbe) compiled at 2023-07-27 09:58:20 commit 0 last mr )
non-SSL connection (SSL connection is recommended when requiring high-security)
type "help" for help.

testdb=# \d
          List of relations
Schema | Name | Type | Owner | Storage
-----+-----+-----+-----+-----
public | test1 | table | omm   | {orientation=row,compression=no}
public | test2 | table | omm   | {orientation=row,compression=no}

testdb=# \q
[omm@isoftnode2 script]$ issql -d templatedb -p 26000 -r
issql ((isoftDB 5.0.0 build 4ec82cbe) compiled at 2023-07-27 09:58:20 commit 0 last mr )
non-SSL connection (SSL connection is recommended when requiring high-security)
type "help" for help.

templatedb=# \d
          List of relations
Schema | Name | Type | Owner | Storage
-----+-----+-----+-----+-----
public | test1 | table | omm   | {orientation=row,compression=no}
public | test2 | table | omm   | {orientation=row,compression=no}
(2 rows)
```

k

m o 9 :      Ü K <      !

\_ \$mm ` &s\$+ ' \$de2 caS gs\_bac"up 7t bac"up 77bac"up7d&#A<\$pt<bac"up 77a!!

1a#s&'g c\$' Rgu#a8\$' R!es.

Success!u!!% pa#sed the c\$' Rgu#a8\$' R!e.

1e#U\$#m&'g #em\$te bac"up.

3em\$te bac"up succeeded.

Success!u!!% bac"ed up cluste# R!es.

\_ \$mm ` &s\$+ ' \$de2 bac"upaS !!

t\$ta! 454084

7#D777777. 1 \$mm dbg#p    1355 ?u! 27 19053 bac"up.s !

7#D777777. 1 \$mm dbg#p 464916480 ?u! 28 09016 b&' a#%.ta#

7#D777777. 1 \$mm dbg#p    61440 ?u! 28 09016 pa#amete#.ta#

p q < !

\_#\$St `&s\$+'\$de2 db1ad !! <\$pt<issedb1<data<db1<pg\_hba.c\$'U  
<\$pt<issedb1<data<db1<p\$stg#es !.c\$'U  
7#D777777. 1 \$mm dbg#p 4587 ?u! 27 16Q23 <\$pt<issedb1<data<db1<pg\_hba.c\$'U  
7#D777777. 1 \$mm dbg#p 36085 ?u! 27 16Q23 <\$pt<issedb1<data<db1<p\$stg#es !.c\$'U  
\_#\$St `&s\$+'\$de2 db1ad m/ <\$pt<issedb1<data<db1<pg\_hba.c\$'U  
<\$pt<issedb1<data<db1<pg\_hba.c\$'U\_ba"  
\_#\$St `&s\$+'\$de2 db1ad m/ <\$pt<issedb1<data<db1<p\$stg#es !.c\$'U  
<\$pt<issedb1<data<db1<p\$stg#es !.c\$'U\_ba"  
\_#\$St `&s\$+'\$de2 db1ad !! <\$pt<issedb1<data<db1<pg\_hba.c\$'U  
<\$pt<issedb1<data<db1<p\$stg#es !.c\$'U  
!sQ ca' '\$t access <\$pt<issedb1<data<db1<pg\_hba.c\$'UQ 4\$ such R!e \$# d&#ect\$#%  
!sQ ca' '\$t access <\$pt<issedb1<data<db1<p\$stg#es !.c\$'UQ 4\$ such R!e \$# d&#ect\$#%  
\_ \$mm `&s\$+'\$de2 bac"upaS gs\_bac"up 7t #est\$#e 77bac"up7d&# <\$pt<bac"up< 7h  
&s\$+'\$de2 77pa#amete# 7! <\$pt<bac"up<bac"up.!\$g  
1a#s&'g c\$'Rgu#a8\$' R!es.  
SuccessUu!!% pa#sed the c\$'Rgu#a8\$' R!e.  
1e#U\$#m&'g #em\$te #est\$#a8\$'.  
SuccessUu!!% #est\$#ed c!uste# R!es.

\_#\$St `&s\$+'\$de2 db1ad !! <\$pt<issedb1<data<db1<pg\_hba.c\$'U  
<\$pt<issedb1<data<db1<p\$stg#es !.c\$'U  
7#D777777. 1 \$mm dbg#p 4587 ?u! 27 16Q23 <\$pt<issedb1<data<db1<pg\_hba.c\$'U  
7#D777777. 1 \$mm dbg#p 36085 ?u! 27 16Q23 <\$pt<issedb1<data<db1<p\$stg#es !.c\$'U

k

\_ \$mm `&s\$+'\$de2 bac"aS gs\_basebac"up 7D <\$pt<bac" 7p 26000  
(4>6Q 2he sta#8'\$g p\$&8\$' \$U the F!\$g c\$p% \$U the Uu!! bu&!d &sQ 0<7000028. 2he s!\$t  
m&'&mum LS4 &sQ 0<0. 2he d&saste# s!\$t m&'&mum LS4 &sQ 0<0. 2he !\$g!ca! s!\$t

```
_2023707728 09043059a0beg& ' bu!d tab!espace !&st
_2023707728 09043059a0R ' &sh bu!d tab!espace !&st
_2023707728 09043059a0beg& ' get F!$g b% F!$&st#eam
_2023707728 09043059a0 chec" &de ' 8U% s%stem success
_2023707728 09043059a0 se ' d S2- 32_3) 1L(5-2(64 0<7000000 success
_2023707728 09043059a0 "eepa!&/e message &s #ece&/ed
_2023707728 09043059a0 "eepa!&/e message &s #ece&/ed
_2023707728 09044004a0gs_basebac"up0 base bac"up successUu!!%
```

Ù X m o ! K ; -L ! B > w x · <\$pt<p#\$bac"up<

\_ \$mm ` ¨s\$+ '\$de2 \$ptaS gs\_p#\$bac"up &' &t 7\* <\$pt<p#\$bac"up  
(4>6Q \*ac"up cata!\$g Y<\$pt<p#\$bac"upY successUu!!% &' &ted  
\_ \$mm ` ¨s\$+ '\$de2 p#\$bac"upaS !!  
t\$ta! 0  
d#DF777777. 2 \$mm dbg#p 6 ?u! 28 10Q37 bac"ups  
d#DF777777. 2 \$mm dbg#p 6 ?u! 28 10Q37 Da!

## 2¥ , m o Ě

Ý ý ú © m o Ě Â gs\_p#\$bac"up § î è Ò ý ú m o w x X ¯ ú  
Ě © m o Â w x · <\$pt<¨ssedb1<data<db1 Â  
\_ \$mm ` ¨s\$+ '\$de2 p#\$bac"upaS gs\_p#\$bac"up add7&' sta'ce 7\* <\$pt<p#\$bac"up< 7  
D<\$pt<¨ssedb1<data<db1< 77&' sta'ce &' sta'ce\_!\$ca!  
(DQ67c"sta \$g7m# sta Pcè 7/\$2F=0b successUu!!% &' &ted  
\_ \$mm ` ¨s\$+ '\$de2 bac"upsaS !!  
t\$ta! 0  
d#DF777777. 3 \$mm dbg#p 45 ?u! 28 11Q44 &' sta'ce\_!\$ca!

## 3¥ ! f m o

> Ě © m o Â è , , f m o —v ý ! f m o Â  
\_ \$mm ` ¨s\$+ '\$de2 &' sta'ce\_!\$calaS gs\_p#\$bac"up bac"up 7\* <\$pt<p#\$bac"up< 7'ce\_!\$s\$è"up7



• €

Å , • è ! Ý • €

\_ \$mm ` &s\$+ '\$de2 &' sta' ce\_!\$ca!aS gs\_p#\$bac"up set7c\$' Rg 7\* <\$pt<p#\$bac"up< 77

&' sta' ceA&' sta' ce\_!\$ca! 7d testdb 7p 26000

\_ \$mm ` &s\$+ '\$de2 &' sta' ce\_!\$ca!aS cat pg\_p#\$bac"up.c\$' U

d \*ac"up &' sta' ce &' U\$#ma8\$'

pgdata A <\$pt<&ssedb1<data<db1

s%stem7&de ' 8Re# A 3423299692713438

d 5\$' 'ec8\$' pa#amete#s

pgdatabase A testdb

pgp\$#t A 26000

\_ \$mm ` &s\$+ '\$de2 &' sta' ce\_!\$ca!aS gs\_p#\$bac"up bac"up 7\* <\$pt<p#\$bac"up< 77

&' sta' ce &' sta' ce\_!\$ca! 7d testdb 7b >OLL

(4>6Q \*ac"up sta#tB gs\_p#\$bac"up /e#s!\$' Q 2.4.2B &' sta' ceQ &' sta' ce\_!\$ca!B bac"up (DQ

3:G 9 ) ;B bac"up m\$deQ >OLLB Da! m\$deQ S23) - 9B #em\$teQ Ua!seB c\$mp#ess7

a!g\$#&thmQ '\$' eB c\$mp#ess7!e/e!Q 1

L6 , Q \*ac"up des8 ' a8\$' &s &' &8a!&Med

L6 , Q 2h&s &ssedb &' sta' ce Das &' &8a!&Med D&th data b!\$c" chec"sums. Data b!\$c"

c\$##up8\$' D&!! be detected

L6 , Q Database bac"up sta#t

L6 , Q sta#ted st#eam&' g ; -L at 0<9000000 (8me!&' e 1)

\_2023707728 11Q44Q57aQ chec" &de ' 8U% s%stem success

\_2023707728 11Q44Q57aQ se' d S2- 32\_3) 1L(5-2(64 0<9000000 success

\_2023707728 11Q44Q57aQ "eepa!&/e message &s #ece&/ed

(4>6Q 1 , D-2- s&MeQ 620 9 \*

(4>6Q Sta#t t#a' sle###&' g data R!es

\_2023707728 11Q44Q58aQ "eepa!&/e message &s #ece&/ed

L6 , Q 5#ea8' g page heade# map

h<\$pt<p#\$bac"up<bac"ups<&' sta' ce\_!\$ca!<3:G 9 ) ; <page\_heade#\_maph

\_2023707728 11Q45Q03aQ "eepa!&/e message &s #ece&/ed

\_2023707728 11Q45Q08aQ "eepa!%/e message &s #ece%/ed  
\_2023707728 11Q45Q13aQ "eepa!%/e message &s #ece%/ed  
\_2023707728 11Q45Q18aQ "eepa!%/e message &s #ece%/ed  
\_2023707728 11Q45Q23aQ "eepa!%/e message &s #ece%/ed  
\_2023707728 11Q45Q28aQ "eepa!%/e message &s #ece%/ed  
\_2023707728 11Q45Q33aQ "eepa!%/e message &s #ece%/ed  
\_2023707728 11Q45Q38aQ "eepa!%/e message &s #ece%/ed  
\_2023707728 11Q45Q44aQ "eepa!%/e message &s #ece%/ed  
\_2023707728 11Q45Q49aQ "eepa!%/e message &s #ece%/ed  
\_2023707728 11Q45Q55aQ "eepa!%/e message &s #ece%/ed  
\_2023707728 11Q46Q01aQ "eepa!%/e message &s #ece%/ed  
\_2023707728 11Q46Q06aQ "eepa!%/e message &s #ece%/ed  
\_2023707728 11Q46Q11aQ "eepa!%/e message &s #ece%/ed  
\_2023707728 11Q46Q17aQ "eepa!%/e message &s #ece%/ed  
(4>6Q Data R!es a#e t#a 's!e##edB 8me e!apsedQ 1mQ20s  
(4>6Q Da!t U\$# pg\_st\$P\_bac"up()  
(4>6Q pg\_st\$P bac"up() success!u!!% eFecuted  
L6 , Q st\$P\_!s'Q 0<9000308  
L6 , Q L\$"\$&'g U\$# LS4 0<9000308 &' segme'tQ 000000010000000000000009  
(4>6Q ; a!t U\$# LS4 0<9000308 &' st#eamed ; -L segme't  
<\$pt<p#\$bac"up<bac"ups<&'sta'ce\_!\$ca!<3:G 9 ) ; <database<pg\_F!\$g<00000001000  
00000000000009  
L6 , Q >\$u'd ; -L segme'tQ  
<\$pt<p#\$bac"up<bac"ups<&'sta'ce\_!\$ca!<3:G 9 ) ; <database<pg\_F!\$g<00000001000  
00000000000009  
L6 , Q 2h#ead \_0aQ 6pe'&'g ; -L segme't  
h<\$pt<p#\$bac"up<bac"ups<&'sta'ce\_!\$ca!<3:G 9 ) ; <database<pg\_F!\$g<00000001000  
00000000000009h  
L6 , Q >\$u'd LS4Q 0<9000308  
L6 , Q R'&shed st#eam&'g ; -L at 0<- 000000 (8me!&'e 1)  
L6 , Q , eg 'g the 3ec\$/e#% 2&me U#\$m ; -L

L6 , Q 2h#ead \_0aQ 6pe '&' g ; -L segme't  
h<\$pt<p#\$bac"up<bac"ups<&'sta'ce\_!\$ca!<3:G9) ; <database<pg\_F!\$g<00000001000  
0000000000009h

(4>6Q S% 'c&' g bac"up R!es t\$ d&s"

(4>6Q \*ac"up R!es a#e s% 'ced& 8me e!apsedQ 0

(4>6Q Ha!&da8 'g bac"up 3:G9) ;

(4>6Q \*ac"up 3:G9) ; data R!es a#e /a!&d

(4>6Q \*ac"up 3:G9) ; #es&de't s&MeQ 6369 \*

(4>6Q \*ac"up 3:G9) ; c\$mp!eted

m o

4 f m o g , • €

\_ \$mm ` &s\$+ '\$de2 &'sta'ce\_!\$ca!aS gs\_p#\$bac"up sh\$D 7\* <\$pt<p#\$bac"up< 77  
&'sta'ce &'sta'ce\_!\$ca!

AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA  
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA  
AAAAA

>('sta'ce He#s&\$' (D 3ec\$/e#% 2&me 9\$de ; -L 9\$de 2L( 2&me Data  
; -L .#a8\$ Sta#t LS4 St\$p LS4 2%pe Status

AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA  
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA  
AAAAA

>&'sta'ce\_!\$ca! 9.2 3:G4G7 2023707728 12Q07Q58E08 >OLL S23) - 9 1<0 6s  
6209 \* 169 \* 1.00 0<D000028 0<D0001)8 >(L) 6=

**4 ¥ R DML L M**

R , D9L L M , f m o

\_ \$mm ` &s\$+ '\$de2 caS gs !7d testdb 7p 26000 7#

gs ! ((&ssedb 5.0.0 bu!d 4ec82cbe) c\$mp!ed at 2023707727 09Q58Q20 c\$mm&t 0 !ast  
m# )

4\$'7SSL c\$' 'ec8\$' (SSL c\$' 'ec8\$' &s #ec\$mme'ded Dhe' #e u&#&'g h&gh7secu#&t%)  
2%pe hhe!ph U\$# he!p.

[illegible]

```
>>>>2ab!e hpub!&c.test1h
>5$!um' ^ 2%pe ^ 9 $d&Re#s
77777777E77777777E7777777777
>c$! ^ &' tege# ^
```

5¥ , f m o

\_\$mm `&s\$+ '\$de2 & 'sta'ce\_!\$calaS gs\_p#\$bac"up bac"up 7\* <\$pt<p#\$bac"up< 77  
 &'sta'ce &'sta'ce\_!\$ca! 7d testdb 7b 123 -5=  
 (4>6Q \*ac"up sta#tB gs\_p#\$bac"up /e#s!\$'Q 2.4.2B &'sta'ceQ &'sta'ce\_!\$ca!B bac"up (DQ  
 3:G402B bac"up m\$deQ 123 -5=B Da! m\$deQ S23) - 9B #em\$teQ Ua!seB c\$mp#ess7  
 alg\$#&thmQ '\$'eB c\$mp#ess7!e/e!Q 1  
 L6 ,Q \*ac"up des8'a8\$' &s &'&8a!&Med  
 L6 ,Q 2h&s &ssedb &'sta'ce Das &'&8a!&Med D!th data b!\$c" chec"sums. Data b!\$c"  
 c\$##up8\$' D&!! be detected  
 L6 ,Q Database bac"up sta#t  
 L6 ,Q Latest /a!&d >OLL bac"upQ 3:G 9) ;  
 (4>6Q 1a#e't bac"upQ 3:G 9) ;  
 L6 ,Q sta#ted st#eam&'g ; -L at 0<\*000000 (8me!&'e 1)

\_2023707728 11Q58Q06aQ chec" &de '8U% s%stem success  
\_2023707728 11Q58Q06aQ se 'd S2- 32\_3)1L(5-2(6 4 0<\*000000 success  
\_2023707728 11Q58Q06aQ "eepa!&/e message &s #ece&/ed  
(4>6Q 1 , D-2- s&MeQ 620 9 \*  
L6 , Q 5u##e 't t!&Q 1  
L6 , Q 1a#e 't sta#t\_!s' Q 0<9000028  
L6 , Q sta#t\_!s' Q 0<\*000028  
(4>6Q )Ft#ac8 'g pagemap \$U cha 'ged b!\$c"s  
(4>6Q cha 'ge b&tmap sta#t !s' !\$ca8\$' &s 0<9000028  
(4>6Q cha 'ge b&tmap e 'd !s' !\$ca8\$' &s 00000000<0\*000028  
(4>6Q 1agemap successUu!!% eFt#acted& 8me e!apsedQ 0 sec  
\_2023707728 11Q58Q06aQ "eepa!&/e message &s #ece&/ed  
(4>6Q Sta#t t#a 's!e##&' g data R!es  
\_2023707728 11Q58Q11aQ "eepa!&/e message &s #ece&/ed  
\_2023707728 11Q58Q16aQ "eepa!&/e message &s #ece&/ed  
(4>6Q Data R!es a#e t#a 's!e##ed& 8me e!apsedQ 13s  
(4>6Q Da&t U\$# pg\_st\$p\_bac"up()  
(4>6Q pg\_st\$p bac"up() success!Uu!!% eFecuted  
L6 , Q st\$p\_!s' Q 0<\*0001)8  
L6 , Q L\$"\$&' g U\$# LS4 0<\*0001)8 &' segme 'tQ 000000010000000000000000\*  
(4>6Q ; a&t U\$# LS4 0<\*0001)8 &' st#eamed ; -L segme 't  
<\$pt<p#\$bac"up<bac"ups<&' sta 'ce\_!\$ca!<3:G402<database<pg\_F!\$g<0000000100000  
0000Q00000\*  
\_2023707728 11Q58Q24aQ "eepa!&/e message &s #ece&/ed  
L6 , Q 01"V&L& Q `e00e& , Q 01@"up<bac"ups<&' sta 'ce\_!\$ca!<3:

L6 , Q R ' & shed st#eam&' g ; -L at 0<5000000 (8me!&' e 1)  
L6 , Q , e g ' g the 3ec\$/e#% 2&me U#&m ; -L  
L6 , Q 2h#ead \_0aQ 6pe'&' g ; -L segme't  
h<\$pt<p#&bac"up<bac"ups<&' sta' ce\_!\$ca!<3:G402<database<pg\_F!\$g<000000010000  
000000000000\*h  
(4>6Q S% ' c&' g bac"up R!es t\$ d&s"  
(4>6Q \*ac"up R!es a#e s% ' ced& 8me e!apsedQ 0  
(4>6Q Ha!&da8 ' g bac"up 3:G402  
(4>6Q \*ac"up 3:G402 data R!es a#e /a!&d  
(4>6Q \*ac"up 3:G402 #es&de ' t s&MeQ 2739 \*  
(4>6Q \*ac"up 3:G402 c\$mp!eted  
4 f m o g ,  
\_ \$mm ` &s\$+ '\$de2 &' sta' ce\_!\$ca!aS gs\_p#&bac"up sh\$D 7\* <\$pt<p#&bac"up< 77  
&' sta' ce &' sta' ce\_!\$ca!  
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA  
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA  
AAAAA  
>(' sta' ce He#s&\$' (D 3ec\$/e#% 2&me 9\$de ; -L 9\$de 2L( 2&me Data  
; -L .#a8\$ Sta#t LS4 St\$p LS4 2%pe Status  
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA  
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA  
AAAAA  
>&' sta' ce\_!\$ca! 9.2 3:G4(7 2023707728 12Q08Q32E08 123-5= S23)- 9 1<1 6s  
2579 \* 169 \* 1.00 0<>000028 0<>0001)8 >(L) 6=  
>&' sta' ce\_!\$ca! 9.2 3:G4G7 2023707728 12Q07Q58E08 >OLL S23)- 9 1<0 6s  
6209 \* 169 \* 1.00 0<D000028 0<D0001)8 >(L) 6=

6¥ , f m o K ! f m o É û Â

> © , f m o † 0 ! m o ó © , f m o É û å 0 ! m o Â 0  
! m o É û © v É û © , f m o M · é Â

\_ \$mm ` &s\$+ '\$de2 &' sta' ce\_!\$ca!aS gs\_p#\$bac"up me#ge 7\* <\$pt<p#\$bac"up< 77  
&' sta' ce &' sta' ce\_!\$ca! 7& 3:G4(7  
(4>6Q 9e#ge sta#ted  
(4>6Q 9e#g&' g bac"up 3:G4(7 D&th pa#e' t cha&'  
(4>6Q Ha!&date pa#e' t cha&' U\$# bac"up 3:G4(7  
(4>6Q Ha!&da8' g bac"up 3:G4G7  
(4>6Q \*ac"up 3:G4G7 data R!es a#e /a!&d  
(4>6Q Ha!&da8' g bac"up 3:G4(7  
(4>6Q \*ac"up 3:G4(7 data R!es a#e /a!&d  
L6 , Q 3est\$#e d&#ect\$#&es a' d s%m!&' "s... &'  
<\$pt<p#\$bac"up<bac"ups<&' sta' ce\_!\$ca!<3:G4G7<database  
(4>6Q Sta#t me#g&' g bac"up R!es  
L6 , Q 5#ea8' g page heade# map  
h<\$pt<p#\$bac"up<bac"ups<&' sta' ce\_!\$ca!<3:G4G7<page\_heade#\_map\_tmph  
(4>6Q \*ac"up R!es a#e successUu!!% me#ged& 8me elapsedQ 8s  
(4>6Q De!eteQ 3:G4(7 2023707728 12Q08Q32E08  
L6 , Q 3e' ame <\$pt<p#\$bac"up<bac"ups<&' sta' ce\_!\$ca!<3:G4G7 t\$  
<\$pt<p#\$bac"up<bac"ups<&' sta' ce\_!\$ca!<3:G4(7  
(4>6Q 3e' ame me#ged Uu!! bac"up 3:G4G7 t\$ 3:G4(7  
(4>6Q Ha!&da8' g bac"up 3:G4(7  
(4>6Q \*ac"up 3:G4(7 data R!es a#e /a!&d  
(4>6Q 9e#ge \$U bac"up 3:G4(7 c\$mp!eted  
\_ \$mm ` &s\$+ '\$de2 &' sta' ce\_!\$ca!aS !!  
t\$ta! 4  
7#D777777. 1 \$mm dbg#p 159 ?u! 28 11Q44 pg\_p#\$bac"up.c\$' U  
d#DF777777. 3 \$mm dbg#p 97 ?u! 28 12Q10 3:G4(7

7 ¥ te"t+ . 6 ū p q

\_ \$mm ` &s\$+ '\$de2 caS gs !7d p\$stg#es 7p 26000 7#  
gs ! ((&ssedb 5.0.0 bu&d 4ec82cbe) c\$mp!ed at 2023707727 09Q58Q20 c\$mm&t 0 last  
m# )

4\$'7SSL c\$' ' ec8\$' (SSL c\$' ' ec8\$' &s #ec\$mme' ded Dhe' #e u&#&'g h&gh7secu#&t%)  
2%pe hhe!ph U\$# help.

&ssedbAd d#\$p database testdbC

D361 D-2- \* -S)

\_ \$mm ` &s\$+ '\$de2 caS gs !7d testdb 7p 26000 7#

gs !Q>-2-LQ database htestdbh d\$es '\$t eF&st

- #est\$#e % Š — v h i (SS)D\* v û db1 w x

\_ \$mm ` &s\$+ '\$de2 caS gs\_ct! st\$p 7D <\$pt<&ssedb1<data<db1

\_2023707728 12Q18Q57.916a\_79294a\_a\_gs\_ct!aQ gs\_ct! st\$pped Bdatad&# &s

<\$pt<&ssedb1<data<db1

Da&8'g U\$# se#/e# t\$ shut d\$D' ..... d\$'e

se#/e# st\$pped

\_#\$St ` &s\$+ '\$de2 cad cd <\$pt<&ssedb1<data

\_#\$St ` &s\$+ '\$de2 dataad m/ db1 db1\_ba"

Å , #est\$#e p q å ë — © g ,

\_ \$mm ` &s\$+ '\$de2 &'sta'ce\_!\$ca!aS gs\_p#\$bac"up #est\$#e 7\* <\$pt<p#\$bac"up< 77

&'sta'ce &'sta'ce\_!\$ca! 7D <\$pt<&ssedb1<data<db1 7& 3:G4(7

L6 , Q 3est\$#e beg&'.

L6 , Q chec" tab!espace d&#ect\$#&es \$U bac"up 3:G4(7

L6 , Q chec" eFte# 'a! d&#ect\$#&es \$U bac"up 3:G4(7

(4>6Q Ha!&da8'g bac"up 3:G4(7

(4>6Q \*ac"up 3:G4(7 data R!es a#e /a!&d

L6 , Q 2h#ead \_1aQ 6pe'&'g ; -L segme't

h<\$pt<p#\$bac"up<bac"ups<&'sta'ce\_!\$ca!<3:G4(7<database<pg\_F!\$g<000000010000

00000000000>h

(4>6Q \*ac"up 3:G4(7 ; -L segme'ts a#e /a!&d

(4>6Q \*ac"up 3:G4(7 &s /a!&d.

(4>6Q 3est\$#&'g the database U#\$m bac"up at 2023707728 12Q08Q31E08

L6 , Q 3est\$#e d&#ect\$#&es a'd s% m!&' "s... &' <\$pt<&ssedb1<data<db1



(4>6Q Sta#t #est\$# 'g bac"up R!es. 1 , D-2- s!MeQ 636 9 \*  
L6 , Q Sta#t th#ead 1  
(4>6Q \*ac"up R!es a#e #est\$#ed. 2#a 's!e#ed b%tesQ 1000 9 \*B 8me e!apsedQ 28s  
(4>6Q 3est\$#e & 'c#eme 'ta! #a8\$ (!ess &s beNe#)Q 157 J (1000 9 \*<636 9 \*)  
(4>6Q S%'c& 'g #est\$#ed R!es t\$ d&s"  
(4>6Q 3est\$#ed bac"up R!es a#e s%'cedB 8me e!apsedQ 1s  
(4>6Q 3est\$#e \$U bac"up 3:G4(7 c\$mp!eted.

j k            û t u                      ž    p q  
\_ \$mm ` &s\$+ '\$de2 caS gs\_ct! sta#t 7D <\$pt<&ssedb1<data<db1  
\_2023707728        12Q22Q08.206a\_79316a\_a\_gs\_ct!aQ        gs\_ct!        sta#tedBdatad&#        &s  
<\$pt<&ssedb1<data<db1  
\_2023707728 12Q22Q12.404a\_79316a\_a\_gs\_ct!aQ Da&8 'g U\$# se#/e# t\$ sta#t...  
.0 L6 , Q \_-!a#m 9 \$du!eaca' ' \$t #ead , -OSS\_ ; -34(4 , \_2:1) e' /.

0 L6 , Q \_-!a#m 9 \$du!eaG\$st 4ameQ &s\$+ '\$de2

0 L6 , Q \_-!a#m 9 \$du!eaG\$st (1Q &s\$+ '\$de2. 5\$P% h\$st 'ame d!#ect!% &' case \$U ta"&'g  
10s t\$ use \geth\$stb%' ameY Dhe ' <etc<h\$sts d\$es ' \$t c\$' ta&' @G6S2 (10

0 L6 , Q \_-!a#m 9 \$du!ea5!uste# 4ameQ db5!uste#

0 L6 , Q \_-!a#m 9 \$du!ea('/a!&d data &' -!a#m(tem R!ei 3ead ala#m ) 'g!&sh 'ame  
Ua&!edi !&'eQ 57

0 ; -34(4 , Q Ua&!ed t\$ \$pe' Ueatu#e c\$' t#\$! R!eB please chec" Dhethe# &t eF!stsQ  
>!e4ameA(SS)D\*./e#s!\$'B )##' \$A2B )##messageA4\$ such R!e \$# d!#ect\$#%.

0 ; -34(4 , Q Ua&!ed t\$ pa#se Ueatu#e c\$' t#\$! R!eQ &ssedb./e#s!\$'.

0 ; -34(4 , Q >a&!ed t\$ !\$ad the p#\$duct c\$' t#\$! R!eB s\$ &ssedb ca' ' \$t d&s8 'gu!sh  
p#\$duct /e#s!\$'.

0 L6 , Q bb\$F\_dump\_path &s set t\$ <\$pt<&ssedb1<c\$#eR!e<

2023707728 12Q22Q13.187 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 D\*010 0\_3)D6a L6 ,Q 3ec\$/e#% pa#a!!e!&smB cpu c\$u't A 2B maF A 4B actual  
A 2

2023707728 12Q22Q13.187 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 D\*010 0\_3)D6a L6 ,Q 5\$'Rg3ec\$/e#%1a#a!!e!&smB  
t#ue\_maF\_#ec\$/e#%\_pa#a!!e!&smQ4B maF\_#ec\$/e#%\_pa#a!!e!&smQ4

2023707728 12Q22Q13.399 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 00000 0\_\*-5=)4Da L6 ,Q \_-!a#m 9\$du!eaca' '\$t #ead  
, -0SS\_ ; -34(4 ,\_2:1) e' /.

2023707728 12Q22Q13.399 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 00000 0\_\*-5=)4Da L6 ,Q \_-!a#m 9\$du!eaG\$st 4ameQ &s\$+ '\$de2

2023707728 12Q22Q13.399 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 00000 0\_\*-5=)4Da L6 ,Q \_-!a#m 9\$du!eaG\$st (1Q &s\$+ '\$de2. 5\$P%  
h\$st'ame d&#ect!% &' case \$U ta"&'g 10s t\$ use Ygeth\$stb%'ameY Dhe' <etc<h\$sts d\$es  
'\$t c\$'ta&' @G6S2 (10

2023707728 12Q22Q13.399 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 00000 0\_\*-5=)4Da L6 ,Q \_-!a#m 9\$du!ea5!uste# 4ameQ db5!uste#

2023707728 12Q22Q13.399 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 00000 0\_\*-5=)4Da L6 ,Q \_-!a#m 9\$du!ea('/a!&d data &' -!a#m(tem R!ei  
3ead a!a#m ) 'g!&sh 'ame Ua&!edi !&'eQ 57

.2023707728 12Q22Q13.416 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 00000 0\_\*-5=)4Da L6 ,Q !\$aded !&b#a#% hsecu#&t%\_p!ug&'h

2023707728 12Q22Q13.418 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 01000 0\_\*-5=)4Da ; -34(4 ,Q c\$u!d '\$t c#eate a'% G- 251<(1 s\$c"ets

2023707728 12Q22Q13.418 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 01000 0\_\*-5=)4Da ; -34(4 ,Q c\$u!d '\$t c#eate a'% G- 251<(1 s\$c"ets

2023707728 12022013.421 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 00000 0 \_\*-5=)4Da L6 ,Q ('&t4uma 'uma4\$de4umQ 1  
'uma\_d&st#bute\_m\$deQ '\$'e &'he#&t2h#ead1\$\$!Q 0.

2023707728 12022013.421 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 01000 0 \_\*-5=)4Da ; -34(4 ,Q >a&led t\$ &'&8a!&Me the mem\$#% p#\$tect U\$#  
g\_&'sta'ce.aN#aN#\_st\$#age.cst\$#e\_buXe#s (16 9b%tes) \$# sha#ed mem\$#% (1188  
9b%tes) &s !a#ge#.

2023707728 12022014.278 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 00000 0 \_5-5G)a L6 ,Q set data cache s&Me(12582912)

2023707728 12022017.650 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 00000 0 \_S) , 9)42\_1- , )a L6 ,Q Segme't7page c\$'sta'tsQ D>\_9 -1\_S(. )Q  
8156B D>\_9 -1\_\*(2\_542Q 65248B D>\_9 -1\_ ,3601\_)K2)42SQ 4175872B  
(1\*L65=\_S(. )Q 8168B )K2)42S\_1)3\_(1\*L65=Q 1021B (1\*L65=\_ ,3601\_S(. )Q 4090B  
\*92\_G)-D)3\_L)H)L0\_262-L\_1- , )SQ 8323072B \*'t9 ap)'t#%4umbe#1e#!\$c"Q  
2038B \*'t9 ap\*!\$c"4umbe#Q 25B \*'t\* &t9 aF9 ap5'tQ 512

2023707728 12022018.419 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 00000 0 \_\*-5=)4Da L6 ,Q &ssedbQ Us%'c R!e  
h<\$pt<&ssedb1<data<db1<&ssedb.state.temph success

2023707728 12022018.419 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 00000 0 \_\*-5=)4Da L6 ,Q c#eate &ssedb state R!e successQ db  
state(S2-32(4 , \_S2-2))B se#/e# m\$de(4\$#ma!)B c\$' 'ec8\$' &'deF(1)

2023707728 12022018.443 64c34274.1 \_u''''\$D'a 139730238255360 \_u''''\$D'a 0  
d'\_6001 00000 0 \_\*-5=)4Da L6 ,Q maF\_salle\_uds A 976B usable\_uds A 1000B  
a!#ead%\_ \$pe' A 14

bb\$F\_dump\_path &s set t\$ <\$pt<&ssedb1<c\$#eR!e<

.

\_2023707728 12022021.110a\_79316a\_a\_gs\_ct!aQ d\$'e

\_2023707728 12022021.110a\_79316a\_a\_gs\_ct!aQ se#/e# sta#ted (<\$pt<&ssedb1<data<db1)

\_ \$mm ` &s\$+ '\$de2 caS

\_ \$mm ` &s\$+ '\$de2 caS gs !7d testdb 7p 26000 7#

gs ! ((&ssedb 5.0.0 bu&!d 4ec82cbe) c\$mp&led at 2023707727 09Q58Q20 c\$mm&t 0 !ast

m# )

4\$'7SSL c\$' 'ec8\$' (SSL c\$' 'ec8\$' &s #ec\$mme'ded Dhe' #e u&#&'g h&gh7secu#&t%)

2%pe hhe!ph U\$# he!p.

testdbAd select V U#\$m test1C

>c\$!

77777

>111

(1 #D)

p q

.

G „ ‡ å tFt !

testdbAd c\$p% test t\$ Y<\$pt<data<testY D&th (de!&m&te# Y^YBU\$#mat Y2)K2Y)C

561: 2

\_ \$mm ` &s\$+ '\$de2 dataaS cat test

1^100

2^20

testdbAd c\$p% (select V U#\$m test Dhe#e &dA1) t\$ Y<\$pt<data<test\_&dY D&th (de!&m&te#

Y^YBU\$#mat Y2)K2Y)C

561: 1

>\_ \$mm ` &s\$+ '\$de2 dataaS cat test\_&d

1^100

„ ...

testdbAd select V U#\$m test3C

>&d ^ /a!ue

7777E7777777

(0 #\$\$Ds)

testdbAd c\$p% test3 U#\$m Y<\$pt<data<testY D&th (de!&m&te# Y^YBU\$#mat Y2)K2Y)C

561: 2

testdbAd select V U#\$m test3C

>&d ^ /a!ue

7777E7777777

>>1 ^ 100

>>2 ^ 20

(2 #\$\$Ds)

1>

gs ! ž (SS)D\* ~ ¼ è% Š , μ , © s ^ v § î Ÿ Ã s ^ À  
Á ± û R , L M K ¶ ç v ^ m L M © v gs ! 2 ~ ¼  
3 • Ž v ð » • Â

i L M < • 4 ... 5 6 Ū ‘ (SS)D\* 0 • gs ! Ū ‘  
(SS)D\*L 7 Â  
Å , SQL • i <sup>a</sup> « } Ê ... û Å , SQL • v ñ § î Å , ý ú !  
> © SQL • Â  
Å , %Š i %Š § î 8 9 c d e 4 f R S © • € ¥ 4 Ĩ X •  
€ ¥ | } ´ SQL ‡ v î å © ® Â %Š © <  
• %Š < Œ Â

gs ! © • Ž G 1 Â  
G>1 gs ! • Ž

|   |                                                                                                                                  |
|---|----------------------------------------------------------------------------------------------------------------------------------|
| • |                                                                                                                                  |
| f | gs ! ~ ¼ A : L&'uF © she!!% Š © f v § î • gs ! © %<br>Š\set T ý ú f v   }<br>Wset /a#'ame /alue<br>ý ú f • & }<br>Wu'set /a#'ame |

|                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| •              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                | <p><math>f</math> žœ5© •&lt; R v õ © § î ž Â</p> <p><math>f</math> • H { ; &lt; H ~ ¥ H K W v ü R</p> <p>b ã Â</p> <p>• Wset /a#'ame ©   } { Ö ú &lt; ~ v ž T õ ú</p> <p><math>f</math> <math>f</math> Â</p> <p>§ î • Ö &lt; ©Wset <math>f</math> © Â</p> <p><math>f</math> © K &lt; • ¥ ¦ Â</p>                                                                                                                                                                                                                                                                                                                                     |
| SQL<br>P       | <p>gs !© <math>f</math> v § î ( © SQL • T • <math>f</math> v î œ ´ L</p> <p>M Â</p> <p>SQL P © K &lt; • SQL Û ¿ Â</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| £<br>~<br>     | <p>gs ! • © ~   ª « » £ Â § î ÿ Ã ö gs ! © D ú</p> <p><math>f</math> 136 9 121 ¥ 136 9 122 ¥ 136 9 123 ~   Â</p> <p>õ D ú <math>f</math> © § î » £ v ñ § î • gs ! © Â</p> <p>&lt; • Ü Ý Þ Â</p>                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| %Š<br>£ k<br>= | <p>(SS)D* • – V v gs ! ª « • 2ab Ê , %Š © £ k = v</p> <p>a ì &gt; 77D&amp;th7#ead!&amp;'e v ü ° » ä ì &gt; 7#L &lt; v</p> <p>é ; Â v c#ea Ê ... 2ab v gs ! ÷ = • c#eate Â</p> <p>ª « SQL Ê H select ¥ c#eate ¥ table ® Â</p> <p>ª « G ¥ ^ _ ® £   © = Â</p> <p>%Š ¥SY ¥YEYÖ ª « £ k = Â</p> <p>R G , = ì v — ž pg_L ÷ = G Â</p> <p>Ö ª « G ì H [ A N © = Â</p> <p>select Ö ª « = Â</p> <p>Ö ª « ( <math>f</math> † # © £ k = Â</p> <p>select V U#\$m a&amp;b... Ö ª « ú ; G © £ k = B &amp;'se#t &amp;'t\$ t1 (c\$!1B</p> <p>c\$!2B ...) Ö ª « ú F © £ k = Â</p> <p>Ö ª « c#eate tab!espace • D&amp;th î D&amp;th &lt; © £ k = Â</p> |

|                                       |                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| •                                     |                                                                                                                                                                                                                                                                                                                                                                              |
|                                       | <p>ÆÖª«!\$ca!¥g!\$ba!©£k=vöÆÖª«#ebu!d£</p> <p>k=Â</p> <p>set•òª«£k 0S)3K S01)30S)3Ž©&lt;Â</p> <p>Öª«\ueF&amp;sts©£k=Â</p> <p>Öª«G.F©£k=v a!te#se ue'ce@'ame0\$D'ed b%<br/>tab!e4ame.c\$!4ame v \$D'ed b%Â</p> <p>Öª«£LM £k=Â•qÜ&gt;?õ°&amp;}...%Šv<br/>&gt;?©%Š2-*Ê§÷•...%Š© }ê@v—<br/>(Å,Â</p> <p>hWtW'`SO@AC^je()hõpH ès!•^Â£</p> <p>GõpH v...©s!•õpH ;</p> <p>Öª«£k=Â</p> |
| <p>ª»</p> <p>äL</p> <p>M</p> <p>x</p> | <p>gs!ª«°»äLMxvª»äì&gt;7#L&lt;v</p> <p>é;Â§îÿÃWsetTx©™vvWsetG(S2S(.)</p> <p>50vx©™T·50vWsetG(S2S(.))0vÖxÂ</p> <p>ª»äLMx™ßT·32™v—ª«x500™Â</p> <p>ª»ä}...H ìvª«02&gt;78©a12Â</p> <p>‡7 Æv1-SS;63D¥(D)42(&gt;())Dã©x·</p> <p>ã•€vÖ÷xå•€vïÖÿÃAAÂ</p>                                                                                                                             |

—~™!

ì•©»^mÛ‘©Â

”•€

•gs!%Š§îÀÁÂÀÁìvèÀÁ

±TvxLM<•4;<=>?6•>0

>0•gs!>07Â



L M

{ 1 ~ • gs ! å (SS) D\* À Á ± Â

gs ! s ^ • 7d < > w ¥70 < > » ¥7h < >

l 6 ¥7p < > ä • € Â

{ 2 ~ Å , SQL • Â

{ 3 ~ Å , gs ! %Š Â

¥ gs ! %Š © | } ž B C D ý ú k v ž < Â < %Š

SQL K < î ú H I ó Â

¥! è < v 5Æ Æ Â è õ © <

5Æ v š î è — Ý ý ú B Â è 5Æ © ¢ <sup>3</sup> ÷ é ý

Æ , A : 5 • E © P W' { , ~ ¥ Wt { Ü G I ~ ¥ Wb { | ~ ¥ W# { ~ ¥

WU { P ~ ¥ Wd&gts { F Ü G

!\$g\_h\$st'ame < Â

; j Q < v ¢ / ÷ Ÿ Ã D4S 4 ° » ä è 6 ± © | 6  
Â õ ì I Ö ©<Ö § © D4S À Á ± v ÷ „ ø  
Ã Â < © ¯ • € v • 4 < Œ 6 ,05

<

{ 1 ~ gs !Q c\$u!d '\$t c\$' 'ect t\$ se#/e#Q 4\$ #Sute t\$ h\$st  
' ' ý ž > Ö § © = ä „ ø © Â 3 4 7h < † 7p < ž  
Ý Â  
{ 2 ~ gs !Q >-2-LQ ('/a!&d use# 'ame<passD\$#d!\$g&' de 'led.  
' ' ý ž ... ê ë © » K P „ ø © v ` c d e v ß  
» K P © Â  
{ 3 ~ gs !Q >-2-LQ >\$#b&d #em\$te c\$' 'ec8\$' D&th t#ust meth\$di  
7 | ' ' v P i x ì • t#ust Z } Â õ ì ö  
pg\_hba.c\$'U © ß à • € Â ^ © T • € < • 4 c d > ? 6  
c d 7 | >0 ° » ä ... ß à >0 ! < Æ 7 Â  
Ö ö pg\_hba.c\$'U (SS)D\* I 6 © Q T v § „ ø  
Â ¹ Á \$ % è (SS)D\* v (SS)D\* ¢ \$ Â  
{ 4 ~ v Ý 7h 127.0.0.1L § î v – ' ' Â  
ÿ Ã Å , SQL • sh\$D u'&F\_s\$c"et\_d&#ect\$#%L 3 4 I • © 0'&F  
H w x v ž † she!! © 1 2 f S1,G6S2 ý ø Â  
3 4 Ö ý ø v ö 1,G6S2 1 2 f å ,05 <  
u'&F\_s\$c"et\_d&#ect\$#% > Ä © w x ð § Â  
u'&F\_s\$c"et\_d&#ect\$#% © ¯ • € v • 4 < Æ 6 ,05 <  
0 K ß à >0 T 7 © Â  
{ 5 ~ 2he k!&bp .s\$L !\$aded m&smatch the /e#s&\$' \$U gs !B please chec" &t.  
' ' ž 1 2 • © !&bp .s\$ © † gs ! © Ö „ ø © v ÿ  
Ã !dd gs !L % Š ß — Ý © !&bp .s\$ © v û ÿ Ã ö  
LD\_L(\*3-3:\_1-2G 1 2 f Ý © !&bp .s\$ Â  
(6)gs !Q s%mb\$! !\$\$"up e##\$#Q FFF<gs !Q u' deR'ed s%mb\$!Q !&bp He#s&\$' St#&' g  
' ' ž 1 2 • © !&bp .s\$ © † gs ! © Ö „ ø © { ñ  
§ ž 1 2 X è 1\$stg#eSQL © !&bp .s\$ ~ v ÿ Ã !dd gs !L % Š ß — Ý  
© !&bp .s\$ © v û ÿ Ã ö LD\_L(\*3-3:\_1-2G 1 2 f Ý ©  
!&bp .s\$ Â  
{ 7 ~ gs !Q c\$' 'ect t\$ se#/e# Ua!&edQ 5\$' 'ec8\$' 8med \$ut  
(s the se#/e# #u' '&'g \$' h\$st kFF.FFF.FFF.FFFL a'd accep8'g 251<(1 c\$' 'ec8\$'s \$'

$$\begin{array}{ccccccc} \text{' ' ž} & & \hat{A} & 3\ 4\ ^\circ >> \ddot{a}\ \dagger & & \grave{A}\ \acute{A}\ \pm\ \acute{o}\ \copyright & & \hat{A} \\ <\grave{i}\quad^\circ >> \ddot{a} & -1(4,\ \grave{a} & & \grave{A}\ \acute{A}\ \pm\ \ddot{a}\ v & & \mp\ \grave{i} & & \hat{A} \\ \text{' } & & & & & & & & \\ & c\ d\ e\ 4 & \hat{A} & & & & & & \end{array}$$

```
1(4, 10.10.10.1 (10.10.10.1) 56(84) b%tes $U data.>#$m 10.10.10.10 &cmp_se A2
Des8'a8$' G$st 0'#eachable>#$m 10.10.10.1 &cmp_se A2 Des8'a8$' G$st
0'#eachable>#$m 10.10.10.1 &cmp_se A3 Des8'a8$' G$st 0'#eachable>#$m
10.10.10.1 &cmp_se A4 Des8'a8$' G$st 0'#eachable777 10.10.10.1 p&'g sta8s8cs 7774
pac"ets t#a'sm&NedB 0 #ece&/edB E4 e##$#sB 100 J pac"et !$$sB 8me 2999ms
```

D) 2-(LQ 0se# d\$es ' \$t ha/e 5644)52 p#&/!ege.

gs !7d p\$stg#es 70 dbadm&' 7p 15400

, 3-42 5644)52 64 D-2- \*-S) p\$stg#es 26 use#10

© R S { Z } ¥ G ¥ ^ \_ ® ~ v R S Â ª « „ ‡ ©  
§ î ž ß p\$stg#es v ñ § î ž £ Â

gs\_dump s ^ a « „ ‡ ù ý ø © Â v 21 ì ô j k gs\_dump „ ‡ -

© Ö Ö ÷ é „ ‡ Â

gs\_dump a « „ ‡ ² ³ /1 © | } ! Â

gs\_dump ^ a «                    • € „ ‡                    | } © SQL /                    !                    Q R                    !  
Â

gs\_dump § î                    ° Ö Ò © „ ‡                    ! | } v Ÿ Ã 7>L =                    U\$#matAL  
> v ^                    G 1                    Â

G>1 „ ‡                    ! | }

|                 |           |                                                                                   |                            |                                                                        |
|-----------------|-----------|-----------------------------------------------------------------------------------|----------------------------|------------------------------------------------------------------------|
| }<br>•          | 7> ©<br>< |                                                                                   |                            | R „ ... s ^                                                            |
| }               | p         | / ! SQL •<br>K % Š Â % Š § î gs !<br>% Š , ! ä Â , v<br>R S û Ý<br>G Â            | N<br>v ý<br> <br>} Â       | • gs ! s ^ p<br>q R S<br>— v §<br>• a z ±<br>a z „ ‡<br>! Â            |
| £<br>Q R  <br>} | c         | ý ° Ü ! Â ^ a « „<br>‡ ! p q<br>R S Â                                             | N N<br>v<br>£ Q<br>R   } Â |                                                                        |
| w x Q<br>R   }  | d         | } ÷ ý ú w x v<br>w x A ! v ý A ž<br>w x ! v ý A ž ú G 7<br>K b!\$b R S R ©<br>! Â |                            | • gs_restore<br>§ î £<br>Q R < w x Q<br>R < ta# Q R „ ‡<br>! „ ... Q © |
| ta# Q<br>R   }  | t         | ta# Q R ! ^ a « „ ‡ !<br>p q R<br>S Â ta# Q R   } Ö ^ a «<br>ü R 5 ) G<br>8, * Â  | 7                          | R S Â                                                                  |

gs\_dump\_612(64a...\_D\*4-9)a  
gs\_dump 7p p\$#t\_'umbe# p\$stg#es 7U dump1.s !  
=  
eFp\$#t 1,D-2-\* -S)Ap\$stg#es  
>gs\_dump 7p p\$#t\_'umbe# 7U dump1.s !  
1 2 f >1,D-2-\* -S)

(SS)D\* ~ ¼ gs\_\$m s ^ 8 9 R (SS)D\* , ¶ ç v j k (SS)D\* ¥ h i  
(SS)D\* ¥ 4 İ (SS)D\* g , ¥ 4 İ S , ¥ S , ! ¥ 4 İ (SS)D\* g  
, • € ¥ k , ! ¥ SSL à P ¥ 8 9 • € K •  
€ ® Â

î L M » \$mm Å , gs\_\$m % Š Â

j k ISSEDB

gs\_\$m 7t sta#t\_7h G6S24-9)a\_7D dataD&#a\_778me7\$utAS)5Sa\_77secu#&t%7  
m\$deA9 6D)a\_77c!uste#7'umbe#A4\$'ea\_7! L6 ,>(L)a

h i ISSEDB

gs\_\$m 7t st\$ p\_7h G6S24-9)a\_7D dataD&#a\_778me7\$utAS)5Sa\_7m 9 6D)a\_7! L6 ,>(L)a

j ISSEDB

gs\_\$m 7t #esta#t\_7h G6S24-9)a\_7D dataD&#a\_778me7\$utAS)5Sa\_77secu#&t%7  
m\$deA9 6D)a\_7! L6 ,>(L)a\_7m 9 6D)a

4 İ ISSEDB g ,

gs\_\$m 7t status\_7h G6S24-9)a\_7\$ 602102a\_77deta&!a\_77a!!a\_7! L6 ,>(L)a

S , !  
gs\_\$m 7t ge'e#atec\$'U 7K K 9 L>(L) \_77d&st#&butea\_7! L6 ,>(L)a  
gs\_\$m 7t ge'e#atec\$'U 77\$d7/a!uesA\$d 77'eD7/a!uesA'eD\_77d&st#&butea\_7! L6 ,>(L)a  
k , ! v m 6 !a#(o,er "0#t\*ho,er l 6 v Å , L M  
gs\_\$m 7t #eU#eshc\$'U  
4 f S ,  
gs\_\$m 7t /&eD\_7\$ 602102a  
4 Ĩ ISSEDB g , • €  
gs\_\$m 7t ue#%\_7\$ 602102a  
SSL à P  
gs\_\$m 7t ce#t 77ce#t7R!eA5)32>(L) \_7! L6 ,>(L)a  
gs\_\$m 7t ce#t 77#\$!!bac"  
; j ¥ ¢ )er.ero" ß à  
gs\_\$m 7t "e#be#\$s 7m \_&'sta!!^u'&'sta!!a 70 OS)3 \_7! L6 ,>(L)a \_77"#b7c!&e't^77"#b7  
se#/e#a  
8 9 • €  
gs\_\$m 7l ^77help  
• €  
gs\_\$m 7H ^77/e#s&\$'  
<

© \$ % ž ý ú q © Ã Â (SS)D\* ~ ¼ gs\_&'sta!! s ^ 8 9  
(SS)D\* © 7 8 K \$ % Â  
(SS)D\* 7 8 \$ % v » > ! v ! ÷ > 7 8 ¥  
Ë w x ¥ l m ¥ Ë ¥@Ë © ¹ Á (1 ä ® • € Â  
— ~ ™ !  
Å , — / gs\_p#e&'sta!! Â  
» æ@ú © !\$cale æ « ý ø Â

- — ì T © (SS)D\* » , 7 8 L M Â
- —

## I B

gs\_&'sta!! 7K K 9 L>(L) \_77gs&'&t7pa#amete#Ah1-3-9)2)3h \_...aa \_77d'7  
gucAh1-3-9)2)3h \_...aa \_77a!a#m7c\$mp\$'e'tA-L-39569164)42a \_778me7  
\$utAS)5Sa\_7! L6 ,>(L)a

ì 7 8 ì Ö > H I 9 v ß H I 9 · SQL\_-S5((v · œ ´ K ý  
!\$ac!e ß T · 5 v T > H I 9 K v è 7 8 ì • <  
gs&'&t7pa#amete#Ahm!\$caleAL65-L)h > v L65-L) · T © Â

8 9 • €

gs\_&'sta!! 7I ^77help

• €

gs\_&'sta!! 7H ^77/e#s&\$'

(SS)D\* ~ ¼ gs\_p#e&'sta!! s ^ 8 9 (SS)D\* © 1 2 v î æ à (SS)D\*  
7 8 © ( , Â

r m ISSEDB 1 2

gs\_p#e&'sta!! 70 OS)3 7 , , 3601 7K K 9 L>(L) \_7La \_77s"&p7\$7seta \_77e' /7/a#Ah)4HH-3h  
\_...aa \_77sep7e' /7R!eA91135>(L)a \_77s"&p7h\$st'ame7seta\_7! L6 ,>(L)a \_77'\$'7&'te#ac8/ea

8 9 • €

gs\_p#e&'sta!! 7I ^77help

• €

gs\_p#e&'sta!! 7H ^77/e#s&\$'

G >1 (SS)D\* ß © 1 2 f



T <etc<s%\$g7'g<s%\$g7'g.c\$'UL ! v è ! Ý ¢ ³  
template t\_&ssedb etemplate(hSD-2) SS6035)(1 S9S,64L:W  
'h)template\_escape('\$')f  
s\$u#ce s\_&ssedbe udp()f  
R!te# U\_&ssedb e !e/e!(e##B c#&t) a'd match(%&ssedb)f

